


New ultrasound technique is first to image inside live cells

December 21 2016, by Emma Lowry



Credit: University of Nottingham

Researchers at The University of Nottingham have developed a breakthrough technique that uses sound rather than light to see inside live cells, with potential application in stem-cell transplants and cancer diagnosis.

The new nanoscale ultrasound technique uses shorter-than-optical wavelengths of sound and could even rival the optical super-resolution techniques which won the 2014 Nobel Prize for Chemistry.

This new kind of sub-optical phonon (sound) imaging provides invaluable information about the structure, mechanical properties and behaviour of individual living [cells](#) at a scale not achieved before.

Researchers from the Optics and Photonics group in the Faculty of Engineering, University of Nottingham, are behind the discovery, which

is published in the paper 'High resolution 3-D imaging of living cells with sub-optical wavelength phonons' in the journal *Scientific Reports*.

"People are most familiar with ultrasound as a way of looking inside the body—in the simplest terms we've engineered it to the point where it can look inside an individual cell. Nottingham is currently the only place in the world with this capability," said Professor Matt Clark, who contributed to the study.

In conventional optical microscopy, which uses [light](#) (photons), the size of the smallest object you can see (or the resolution) is limited by the wavelength.

For biological specimens, the wavelength cannot go smaller than that of blue light because the energy carried on photons of light in the ultraviolet (and shorter wavelengths) is so high it can destroy the bonds that hold biological molecules together damaging the cells.

Optical super-resolution imaging also has distinct limitations in biological studies. This is because the fluorescent dyes it uses are often toxic and it requires huge amounts of light and time to observe and reconstruct an image which is damaging to cells.

Unlike light, sound does not have a high-energy payload. This has enabled the Nottingham researchers to use smaller wavelengths and see smaller things and get to higher resolutions without damaging the cell biology.

"A great thing is that, like ultrasound on the body, ultrasound in the cells causes no damage and requires no toxic chemicals to work. Because of this we can see inside cells that one day might be put back into the body, for instance as stem-cell transplants," adds Professor Clark.

More information: Fernando Pérez-Cota et al. High resolution 3D imaging of living cells with sub-optical wavelength phonons, *Scientific Reports* (2016). [DOI: 10.1038/srep39326](https://doi.org/10.1038/srep39326)

Provided by University of Nottingham

Citation: New ultrasound technique is first to image inside live cells (2016, December 21)
retrieved 22 September 2024 from
<https://phys.org/news/2016-12-ultrasound-technique-image-cells.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.