

Rethink needed to save critically endangered black rhinoceros

February 8 2017



In this handout video grab, a Sumatran rhinoceros is captured on a remote video camera setup in March 2007, in the jungles of eastern Sabah state, in Malaysian Borneo.

A new strategy of conservation must be adopted if the black rhinoceros is to be saved from extinction, concludes a study involving scientists from Cardiff University.

An international team of researchers compared, for the first time, the genes of all living and extinct black rhinoceros populations and found a massive decline in [genetic diversity](#), with 44 of 64 genetic lineages no longer existing. The new data suggest that the future is bleak for the black rhinoceros unless the conservation of genetically distinct populations is made a priority.

Professor Mike Bruford from Cardiff University's School of Biosciences said: "Our findings reveal that hunting and habitat loss has reduced the evolutionary potential of the black rhinoceros dramatically over the last 200 years. The magnitude of this loss in genetic diversity really did surprise us - we did not expect it to be so profound.

"The decline in the species' genetic diversity threatens to compromise its potential to adapt in the future as the climate and African landscape changes due to increased pressure from man. The new genetic data we have collected will allow us to identify populations of priority for conservation, giving us a better chance of preventing the species from total extinction."

The research team used DNA extracted from a combination of tissue and fecal samples from wild animals, and skin from museum specimens. They sequenced DNA from maternal mitochondrial genome and used classical DNA profiling to measure genetic diversity in past and present populations and compared the profiles and sequences of animals in different regions of Africa. Their next step is to sequence the black rhino genome to see how the loss of genetic diversity is likely to affect populations across all of its genes, vital information given the current poaching epidemic and the fact that some populations are being targeted more than others.

The black rhinoceros has already been hunted to extinction in many parts of Africa and now survives in only five countries: South Africa, Namibia, Kenya, Zimbabwe and Tanzania.

Renewed poaching has threatened this recovery as rhinoceros horn has attained an unprecedented and steadily rising value.

The research 'Extinctions, genetic erosion and conservation options for the black rhinoceros' is published in *Scientific Reports*.

More information: *Scientific Reports*, [DOI: 10.1038/srep41417](https://doi.org/10.1038/srep41417)

Provided by Cardiff University

Citation: Rethink needed to save critically endangered black rhinoceros (2017, February 8)
retrieved 20 September 2024 from

<https://phys.org/news/2017-02-rethink-critically-endangered-black-rhinoceros.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.