


Elemental boron is an effective photothermocatalyst for the conversion of carbon dioxide

11 April 2017



A "self-heating" boron catalyst that makes particularly efficient use of sunlight to reduce carbon dioxide (CO₂) serves as a light harvester, photothermal converter, hydrogen generator, and catalyst in one. In the journal *Angewandte Chemie*, researchers introduce a photothermocatalytic reaction that requires no additives beyond water. This could form the basis of a new, more efficient process for converting the greenhouse gas CO₂ into a useful carbon source for the production of fuels and chemical products.

The ideal route for making CO₂ useful is considered to be reduction aided by a photocatalyst to use sunlight as the only source of energy—a process that corresponds to the first step

of photosynthesis. Despite decades of research, processes for converting CO₂ are still too inefficient. "This is largely due to the insufficient utilization of solar light, the high energy barrier for CO₂ activation, and the sluggish kinetics of the multiple electron and proton transfer processes," explains Jinhua Ye.

Working with a team for the National Institute for Materials Science (NIMS) in Tsukuba, Ibaraki, and Hokkaido University in Sapporo (Japan), as well as Tianjin University and Nanjing University of Aeronautics and Astronautics (China), Ye is now pursuing a strategy that uses both the light and thermal energy provided by sunlight. When the sun shines on a surface, it is heated. The researchers want to use this ordinary photothermic effect to increase the efficiency of catalytic systems. Their material of choice is powdered elemental boron, which very strongly absorbs sunlight and efficiently converts it photothermally, heating itself up remarkably. This allowed the team to carry out the efficient reduction of CO₂ to form carbon monoxide (CO) and methane (CH₄) under irradiation in the presence of water, with no additional reagents or co-catalysts.

Irradiation causes the boron particles to heat up to about 378 °C. At this temperature it reacts with water, forming hydrogen and boron oxides in situ. The boron oxides act as "traps" for CO₂ molecules. The hydrogen is highly reactive and, in the presence of the light-activated boron catalyst, efficiently reduces the CO₂ by providing the necessary protons (H⁺) and electrons.

"The key to our success lies in the favorable properties of the [boron](#) powder, which make it an all-in-one catalyst: light harvester, photothermic converter, hydrogen source, and [catalyst](#)," says Ye. "Our study confirms the highly promising potential

of a photothermocatalytic strategy for the conversion of CO₂ and potentially opens new vistas for the development of other solar-energy-driven reaction systems."

More information: Guigao Liu et al. Elemental Boron for Efficient Carbon Dioxide Reduction under Light Irradiation, *Angewandte Chemie International Edition* (2017). [DOI: 10.1002/anie.201701370](https://doi.org/10.1002/anie.201701370)

Provided by Wiley

APA citation: Elemental boron is an effective photothermocatalyst for the conversion of carbon dioxide (2017, April 11) retrieved 12 November 2019 from <https://phys.org/news/2017-04-elemental-boron-effective-photothermocatalyst-conversion.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.