

# Researchers create touchpads with a can of spray paint

May 8 2017, by Byron Spice

---



Researchers at Carnegie Mellon University's Human-Computer Interaction Institute have developed a low-cost method of turning a wide variety of surfaces into touchpads, such as this steering wheel Credit: Future Interfaces Group

Touch sensing is most common on small, flat surfaces such as smartphone or tablet screens. Researchers at Carnegie Mellon University, however, can turn surfaces of a wide variety of shapes and sizes into touchpads using tools as simple as a can of spray paint.

Walls, furniture, steering wheels, toys and even Jell-O can be turned into [touch sensors](#) with the technology, dubbed [Electrick](#).

The "trick" is to apply electrically conductive coatings or materials to objects or surfaces, or to craft objects using conductive materials. By attaching a series of electrodes to the [conductive materials](#), researchers showed they could use a well-known technique called electric field tomography to sense the position of a finger [touch](#).

"For the first time, we've been able to take a can of [spray paint](#) and put a [touch screen](#) on almost anything," said Chris Harrison, assistant professor in the Human-Computer Interaction Institute (HCII) and head of the Future Interfaces Group. The group will present Electrick at CHI 2017, the Conference on Human Factors in Computing Systems, this week in Denver.

Until now, large touch surfaces have been expensive and irregularly shaped, or flexible touch surfaces have been largely available only in research labs. Some methods have relied on computer vision, which can be disrupted if a camera's view of a [surface](#) is blocked. The presence of cameras also raises privacy concerns.

With Electrick, conductive touch surfaces can be created by applying conductive paints, bulk plastics or carbon-loaded films, such as Desco's Velostat, among other materials.

HCII Ph.D. student Yang Zhang said Electrick is both accessible to hobbyists and compatible with common manufacturing methods, such as spray coating, vacuum forming and casting/molding, as well as 3D printing.

Like many touchscreens, Electrick relies on the shunting effect—when a finger touches the touchpad, it shunts a bit of electric current to ground.

By attaching multiple electrodes to the periphery of an object or conductive coating, Zhang and his colleagues showed they could localize where and when such shunting occurs. They did this by using electric field tomography—sequentially running small amounts of current through the electrodes in pairs and noting any voltage differences.

The tradeoff, in comparison to other touch input devices, is accuracy. Even so, Electrick can detect the location of a finger touch to an accuracy of one centimeter, which is sufficient for using the touch surface as a button, slider or other control, Zhang said.

Zhang, Harrison and Gierad Laput, another HCII Ph.D. student, used Electrick to add touch sensing to surfaces as large as a 4-by-8-foot sheet of drywall, as well as objects as varied as a steering wheel, the surface of a guitar and a Jell-O mold of a brain. Even Play-Doh can be made interactive with Electrick.

The technology was used to make an interactive smartphone case—opening applications such as a camera based on how the user holds the phone—and a game controller that can change the position and combinations of buttons and sliders based on the game being played or the player's preferences.

Zhang said the Electrick surfaces proved durable. Adding a protective coating atop the conductive paints and sheeting also is possible.

Provided by Carnegie Mellon University

Citation: Researchers create touchpads with a can of spray paint (2017, May 8) retrieved 22 September 2024 from <https://phys.org/news/2017-05-touchpads.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.