

# Tiger breakthrough: Camera trap time stamps provide valuable data for conservationist

18 May 2017



A tiger photographed by camera-trap. Credit: Ullas Karanth/WCS

exactly incorporate the time of capture into the data analysis. This gives us more power to mimic nature in the sense of how tigers actually get 'trapped' in cameras, and how their movement, behavior, and space-use relate to time. This is a significant advance."

Because 70 percent of [wild tigers](#) are concentrated in less than 6 percent of remaining habitats, it is critical to efficiently manage these areas for [tiger](#) use.

**More information:** [DOI: 10.1371/journal.pone.0176966](#)

Provided by Wildlife Conservation Society

Spatial capture-recapture model analysis is often used to estimate tiger abundance. A new study led by Dr. Robert Dorazio of the United States Geological Survey, and co-authored by WCS's Dr. Ullas Karanth, however, finds that dates and times of animal detections are often not factored into the analysis. This is despite the fact that this data is available when using "continuous-time" recorders such as camera-traps.

Dr. Robert Dorazio said, "Modeling capture times of tigers and other [large carnivores](#) uses all of the information in the data and gives us a chance to learn more about the behaviors and movements of these animals—information that is crucial to their conservation."

A short video features Dr. Karanth discussing how this study might change that thinking and benefit scientists. Says Karanth: "We are now able to

APA citation: Tiger breakthrough: Camera trap time stamps provide valuable data for conservationist (2017, May 18) retrieved 15 November 2019 from <https://phys.org/news/2017-05-tiger-breakthrough-camera-valuable-conservationist.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*