

Hormone boost makes wild seals spend more time with each other

May 24 2017



Credit: University of St Andrews

Scientists at the University of St Andrews have discovered that grey seals are friendlier and want to spend more time with each other when their levels of the hormone oxytocin are increased.

Oxytocin occurs in all mammals, and plays a vital role in parental and social bonding, and treatments are increasingly being used in medical trials to treat human psychological conditions such as autism.

Understanding how to give oxytocin to individuals, and what behaviours will be changed by the treatments, is crucial to developing safe medical applications for the hormone.

New research funded by the National Environmental Research Council (NERC) and published today (24 May 2017) in the *Proceedings of the Royal Society B* by Dr Kelly Robinson, a research fellow at the Sea Mammal Research Unit (SMRU), and colleagues at the University of St Andrews and Durham University shows that increasing oxytocin levels causes pro-social behavioural changes that persist across several days in wild grey seals.

During the study on the Isle of May off the coast of Fife, Scotland, Dr Robinson carried out oxytocin treatments on grey seals that had never met each other previously, and recorded their behavioural responses.

Pairs of seals given the hormone spent more time in close proximity to each other, were less aggressive and spent less time investigating the other individual (an indication of familiarity) than pairs given control saline treatments. The behavioural changes triggered by the oxytocin treatment were still present in the seals at least two days after receiving oxytocin, long after the hormone would have been broken down.

Oxytocin concentrations have been linked to how close grey seal mothers stay with their pups. By using an oxytocin dose that mimics natural concentrations in this species, the study confirmed that elevated oxytocin encourages individuals to remain close to each other. This is the first time it has been possible to verify an oxytocin-behaviour relationship in wild individuals.

Researchers also found that [treatment](#) with the hormone additionally triggered low aggression and less investigation of unfamiliar individuals, pro-social behaviours that occur independently of natural oxytocin release in seals.

Dr Robinson said: "This study proves that [oxytocin](#) promotes individuals staying together, highlighting its fundamental role in forming and

maintaining parental and social bonds.

"By studying the underlying physiology motivating bonding, social and parental behaviour, we can better understand what factors influence their existence in a variety of animals including humans. It also allows us to perceive what is happening when such bonds break down, why the frequently negative consequences associated with such losses happen, and how [hormone](#) treatments could be used to influence or avoid such events."

More information: Kelly J. Robinson et al. Positive social behaviours are induced and retained after oxytocin manipulations mimicking endogenous concentrations in a wild mammal, *Proceedings of the Royal Society B: Biological Sciences* (2017). [DOI: 10.1098/rspb.2017.0554](https://doi.org/10.1098/rspb.2017.0554)

Provided by University of St Andrews

Citation: Hormone boost makes wild seals spend more time with each other (2017, May 24) retrieved 21 September 2024 from <https://phys.org/news/2017-05-hormone-boost-wild.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.