


A chemically functional phosphorus version of natural rubber

July 10 2017



Goodyear's 1839 discovery of the vulcanization of natural rubber obtained from rubber trees marks the beginning of the modern rubber industry. A variety of synthetic rubber products were subsequently developed. In the journal *Angewandte Chemie*, scientists have now introduced a new, interesting variant: a phosphorus-containing rubber

with a structure that corresponds to that of natural rubber.

The similar properties of double bonds between carbon atoms (C=C) and phosphorus–carbon double bonds (P=C) led to the idea to try general polymerization techniques on the latter. After a number of successful attempts, researchers working with Derek P. Gates at the University of British Columbia (Vancouver, Canada) wanted to apply this concept to molecules that contain both P=C and C=C double bonds: phosphorus analogs of the building block of [rubber](#), isoprene (2-methylbuta-1,3-diene) and its close relative, 1,3-butadiene.

Starting with phosphorus-containing precursors, the team was able to synthesize the first examples of poly(1-phospha-isoprene) and poly(1-phospha-1,3-butadiene). Precise characterization with a variety of spectrometric techniques gave some insight into the molecular structures of the resulting polymers. Like in the polymerization of isoprene and related dienes (compounds with two carbon-carbon double bonds), one of the double bonds in each building block is retained. The polymerization mainly occurs through the C=C double bonds and only a tiny proportion happens at the P=C double bonds. This means that only a few [phosphorus atoms](#) are incorporated into the polymer backbone. The majority of the phosphorus atoms form side chains in which the P=C [double bonds](#) are maintained, leaving them available for further reactions or alterations to the polymers.

"Our functional phosphorus-containing materials are rare examples of polymers containing phosphalkene moieties and offer many prospects for further derivatization and crosslinking," according to Gates. For example, the researchers were able to bind [gold ions](#) to the polymers.

"As a macromolecular ligand for gold ions, the new polymers may be of future interest in catalysis and nanochemistry. Furthermore, the successful polymerization of P=C/C=C hybrid monomers opens the door to incorporate P-functionalities into commercial rubbers such as butyl

rubber or styrene-butadiene rubber that traditionally use isoprene or butadiene comonomers. Such new copolymers promise unique architectures, properties, and functionality when compared to their carbon-only analogues."

More information: Klaus Dück et al. Polymerization of 1-Phosphaisoprene: Synthesis and Characterization of a Chemically Functional Phosphorus Version of Natural Rubber, *Angewandte Chemie International Edition* (2017). [DOI: 10.1002/anie.201703590](https://doi.org/10.1002/anie.201703590)

Provided by Wiley

Citation: A chemically functional phosphorus version of natural rubber (2017, July 10) retrieved 19 April 2024 from <https://phys.org/news/2017-07-chemically-functional-phosphorus-version-natural.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.