

become superconductors, with zero electrical resistance. An international research team observed an unusual electronic state in new superconductor chromium arsenide. This finding could prove useful in future superconductor research and material design. The study was published on June 5 in *Nature Communications*.

These discoveries were made by a research team at the Chinese University of Hong Kong in collaboration with Associate Professor KOTEGAWA Hisashi (Kobe University Graduate School of Science) and other researchers from Kobe University and Kyoto University.

Well-known superconductors include high-temperature copper-oxide superconductors and iron-based [superconductors](#). These have two-dimensional layered crystal structures. In contrast, chromium arsenide has a "non-symmorphic" [crystal structure](#) formed by zigzag chains of chromium (see figure 1). The relationship between this crystal structure and its superconductivity has drawn attention from scientists.

The superconductivity of chromium arsenide was discovered in 2014 under pressure, and it is the first magnetic superconductor to incorporate chromium.



The research group found that at ultralow temperatures, the [electrical resistance](#) of chromium arsenide shows a linear increase against the magnetic field. In normal metals the resistance increases as a square of the magnetic field, creating a curved (parabolic) graph, but the magnetic field resistance of chromium arsenide makes a linear graph (see figure 2). Linear magnetic resistance is created under extremely special circumstances when electron mass within a solid effectively becomes smaller. There are cases of it occurring in non-magnetic low carrier materials, but chromium arsenide is a metal with strong magnetic properties and very different qualities from other materials that have shown linear magnetic resistance. The special crystal structure of

chromium arsenide may have created this unusual electronic state.

These findings show that the superconductivity of [chromium arsenide](#) features an unusual electronic state, information that could contribute to superconductivity research and material design.

Research findings Unusual behavior of magnetic field dependency for CrAs resistance

Electrons in the magnetic field receive Lorentz force and the resistance increases. In normal metals the resistance increases as a square of the magnetic field (parabolic)



- Linear magnetic field dependency can occur when electron mass effectively gets smaller
- The zigzag structure of CrAs could be influencing the electrons
- This property is rarely reported for superconductive materials
- Sheds light on the superconductivity functions of CrAs, the first Cr-based superconductor

Figure 2: Graph of the magnetic field dependence of electronic resistance for CrAs

More information: Q. Niu et al. Quasilinear quantum magnetoresistance in pressure-induced nonsymmorphic superconductor

chromium arsenide, *Nature Communications* (2017). [DOI: 10.1038/ncomms15358](https://doi.org/10.1038/ncomms15358)

Provided by Kobe University

Citation: New chromium-based superconductor has an unusual electronic state (2017, July 25)
retrieved 19 September 2024 from
<https://phys.org/news/2017-07-chromium-based-superconductor-unusual-electronic-state.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.