

Study projects deaths from heat and cold for 10 U.S. metros through 2090

July 26 2017, by David Orenstein



A new study finds that in 10 U.S. metropolitan areas, including Los Angeles, heat-related deaths will increase sharply as temperatures rise due to climate change. Credit: Brown University

A new study projects that if climate change continues unabated, heat-

related deaths will rise dramatically in 10 major U.S. metropolitan areas compared to if the predicted increase in global warming is substantially curbed and cities take steps to adapt.

"The conversation about [climate change](#) is typically focused on the costs of mitigation, but this paper shows the human toll of policy inaction," said senior author Gregory Wellenius, associate professor of epidemiology in the Brown University School of Public Health. "These results show the cost in terms of human lives due to just this one aspect of climate change: temperature. We have here an opportunity to save lives and improve people's health."

The analysis, published in the journal *Environment International*, is based on a set of internationally accepted temperature models through the decade 2085-2095 and the research team's calculations of present-day temperature-related mortality specific to Atlanta, Boston, Chicago, Dallas, Houston, Los Angeles, Miami, New York, Philadelphia and Washington D.C.

The study forecasts deaths due to heat and cold for two different possible futures: A "better case" in which policy and technology mitigate climate change, yielding only a 1.8-degree Celsius increase in average global temperature by 2100, and a "worse case" in which greenhouse emissions continue growing at the current pace, leading to a 3.7-degree Celsius increase globally by 2100.

Across all 10 metropolitan areas, assuming no [population growth](#) at all, the study forecasts a "worse case" range of mortality averaging 10,300 heat-related deaths a year by 2050 and 26,000 heat-related deaths annually by 2090, compared to only about 2,300 in 1997. In the "better case" the heat-related deaths rise "only" to around 7,700 by 2050 and 10,400 by 2090 from the 1997 baseline.

"This paper highlights the importance of both mitigating and adapting to climate change, because what we see is that heat related deaths are going to increase even under the better case scenario," said lead author Kate Weinberger, a postdoctoral researcher in the School of Public Health and the Institute at Brown for Environment and Society (IBES). "We should try to avoid the worse case scenario, but we will still need to protect people from heat, even in the better case."

The projected increase in deaths rose significantly when the researchers factored in predictions of population growth from the U.S. Environmental Protection Agency. With population growth, heat related deaths across the 10 metros rose to around 12,300 in the better case and 16,400 in the worse case in 2050 and then 21,100 in the better case or 52,339 in the worse case in 2090.

The study also looked at cold-related deaths under both [climate change scenarios](#) and with and without population growth. Overall the authors found that while rising temperatures reduced the risk of dying from cold, the reduced threat of cold was overwhelmed in 8 of 10 metro areas by the much greater increased risk from heat, leading to a net increase in the number of temperature-related deaths under climate change overall.

For example, without population growth, total cold-related deaths, which are just shy of 27,000 in 1997, decline to 22,000 in 2050 and 17,700 in 2090 in the worse case or to 23,000 in 2050 and 21,800 in 2090 in the better case. These declines fall short of the projected increases from heat-related deaths above.

The effects vary in each metropolitan area because each is forecast to experience a unique combination of temperature change and population growth, and each has shown different historical rates of [death](#) from cold or warm temperatures, the researchers said.

The local temperature projections for each metropolitan area in the study came from the 40 [climate](#) models encapsulated in the Coupled Model Intercomparison Project Phase 5 used by the Intergovernmental Panel on Climate Change. The [population](#) growth estimates are based on the U.S. Environmental Protection Agency's Integrated Climate and Land-Use project.

To determine each metropolitan area's propensity for temperature-related deaths, the researchers analyzed the relationship between mean daily [temperature](#) and daily mortality between 1986 and 2005.

More information: Kate R. Weinberger et al. Projected temperature-related deaths in ten large U.S. metropolitan areas under different climate change scenarios, *Environment International* (2017). [DOI: 10.1016/j.envint.2017.07.006](#)

Provided by Brown University

Citation: Study projects deaths from heat and cold for 10 U.S. metros through 2090 (2017, July 26) retrieved 26 April 2024 from <https://phys.org/news/2017-07-deaths-cold-metros.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.