

'Simple' chess puzzle holds key to \$1m prize

September 1 2017



Credit: University of St Andrews

Researchers at the University of St Andrews have thrown down the gauntlet to computer programmers to find a solution to a "simple" chess puzzle which could, in fact, take thousands of years to solve and net a \$1m prize.

Computer Scientist Professor Ian Gent and his colleagues, at the University of St Andrews, believe any program capable of solving the famous "Queens Puzzle" efficiently, would be so powerful, it would be capable of solving tasks currently considered impossible, such as decrypting the toughest security on the internet.

In a paper published in the Journal of Artificial Intelligence Research today, the team conclude the rewards to be reaped by such a program would be immense, not least in financial terms with firms rushing to use it to offer technological solutions, and also a \$1m prize offered by the Clay Mathematics Institute in America.

Devised in 1850, the Queens Puzzle originally challenged a player to place eight queens on a standard chessboard so that no two queens could attack each other. This means putting one [queen](#) in each row, so that no two queens are in the same column, and no two queens in the same diagonal. Although the problem has been solved by human beings, once the chess board increases to a large size no computer program can solve it.

Professor Gent and his colleagues, Senior Research Fellow Dr Peter Nightingale and Reader Dr Christopher Jefferson, all of the School of Computer Science at the University, first became intrigued by the [puzzle](#)

after a friend challenged Professor Gent to solve it on Facebook.

The team found that once the chess board reached 1000 squares by 1000, computer programs could no longer cope with the vast number of options and sunk into a potentially eternal struggle akin to the fictional "super computer" Deep Thought in Douglas Adams' Hitchhiker's Guide to the Galaxy, which took seven and a half million years to provide an answer to the meaning of everything.

Professor Gent said: "If you could write a computer program that could solve the problem really fast, you could adapt it to solve many of the most important problems that affect us all daily.

"This includes trivial challenges like working out the largest group of your Facebook friends who don't know each other, or very important ones like cracking the codes that keep all our online transactions safe."

The reason these problems are so difficult for [computer](#) programs, is that there are so many options to consider that it can take many years. This is due to a process of "backtracking" – an algorithm used in programming where every possible option is considered and then "backed away" from until the correct solution is found.

Dr Nightingale said: "However, this is all theoretical. In practice, nobody has ever come close to writing a program that can solve the problem quickly. So what our research has shown is that – for all practical purposes – it can't be done."

Dr Jefferson added: "There is a \$1,000,000 prize for anyone who can prove whether or not the Queens Puzzle can be solved quickly so the rewards are high."

Chess has long provided the source for puzzles such as the traditional

fable of the servant who, when asked to choose a reward by his king, asked for one grain of rice to be placed on the first square of a standard 8x8 chessboard, doubled in the next and so on until it was found there was not enough rice in the entire world.

The fable indicates the huge numbers involved when using just a standard sized chess board. When the board size increases the numbers become vast.

More information: Complexity of n-Queens Completion. *Journal of Artificial Intelligence Research*. DOI: [DOI: 10.1613/jair.5512](https://doi.org/10.1613/jair.5512) , jair.org/papers/paper5512.html

Provided by University of St Andrews

Citation: 'Simple' chess puzzle holds key to \$1m prize (2017, September 1) retrieved 21 September 2024 from <https://phys.org/news/2017-09-simple-chess-puzzle-key-1m.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.