


# Sweet success: Nanocapsule perfectly binds sucrose in water

September 5 2017



Conceptual cartoon of how a bioreceptor (left) and a Yoshizawa's nanocapsule (right) bind sucrose in their cavities. Credit: *Science Advances*

Scientists around the world are pursuing the goal of developing synthetic receptors capable of recognizing biologically important molecules. Although many attempts have been made to mimic the way that protein pockets detect sugar dissolved in water with hydrogen bonding interactions, few have succeeded, mainly due to the interfering nature of

water molecules. Now, a Japanese team of researchers has proposed a brand new approach.

"Our unique recognition system is based on special interactions—known as CH- $\pi$  interactions[term1]—between sucrose and the inner walls of our nanocapsule," says Michito Yoshizawa, who co-designed the study with Masahiro Yamashina at Tokyo Institute of Technology (Tokyo Tech). "To our knowledge, nobody has harnessed the interaction for developing this type of recognition system before."

With a diameter of one nanometer (a billionth of a meter), the spherical cavity of the capsule is just the right size to catch the nearly one-nanometer-long and spherical sucrose molecule. Building on the team's previous research on molecular self-assembly, the capsule works by forming a cavity around the sucrose, which then becomes fully surrounded by multiple aromatic panels[term2] (see Figure 1).

By mixing the capsule, composed of two metal ions and four ligands[term3], with sucrose in water under mild conditions, the team obtained a sucrose-bound capsule with a high yield. Published in *Science Advances*, an open-access sister journal of *Science*, the product structure was confirmed using proton [nuclear magnetic resonance](#) and mass spectrometry methods. Yoshizawa adds: "The capsule is easy to produce and handle, and its stability is very high."

In a series of experiments to explore how the capsule would respond to different kinds of sugar, the researchers made three observations: 1) the capsule does not interact with monosaccharides such as glucose and fructose, 2) among common disaccharides (for example, sucrose, lactose, maltose and trehalose), only sucrose was encapsulated, and thus 3) even in mixtures of two disaccharides (in so-called competitive binding experiments), the capsule bound sucrose with a 100% selectivity.

"It's usually very difficult to tell these sugars apart. For example, sucrose, lactose and maltose have the same molecular formula, meaning that they have the same number of hydrogen, oxygen and carbon atoms—only their configuration is different," says Yoshizawa. "Still, our nanocapsule was able to recognize subtle differences and exclusively capture sucrose."

The team also examined how the capsule responded to common artificial sugars: aspartame (known to be around 200 times sweeter than sucrose) and sucralose (around 600 times sweeter than sucrose). The capsule's binding preference was found to be in the order of sucralose, aspartame and [sucrose](#), which exactly mirrors the order in which we perceive levels of sweetness.

This finding could impact the food and chemical industries by helping with the search for even sweeter compounds. If such new compounds can be found and synthesized easily, artificial sweeteners could be produced more cost-effectively than existing methods.

In future, Yoshizawa says that it may be possible to develop "designer nanocapsules" of various shapes and sizes. Ultimately, these capsules could be used for the development of new biosensor technologies in the medical and environmental fields.

**More information:** Masahiro Yamashina et al, A polyaromatic nanocapsule as a sucrose receptor in water, *Science Advances* (2017). [DOI: 10.1126/sciadv.1701126](https://doi.org/10.1126/sciadv.1701126)

Provided by Tokyo Institute of Technology

Citation: Sweet success: Nanocapsule perfectly binds sucrose in water (2017, September 5)

retrieved 20 September 2024 from

<https://phys.org/news/2017-09-sweet-success-nanocapsule-perfectly-sucrose.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.