


Students fortify concrete by adding recycled plastic

October 25 2017, by Jennifer Chu



“Our technology takes plastic out of the landfill, locks it up in concrete, and also uses less cement to make the concrete, which makes fewer carbon dioxide emissions,” says assistant professor Michael Short. Credit: MIT News

Discarded plastic bottles could one day be used to build stronger, more

flexible concrete structures, from sidewalks and street barriers, to buildings and bridges, according to a new study.

MIT undergraduate students have found that, by exposing [plastic](#) flakes to small, harmless doses of gamma radiation, then pulverizing the flakes into a fine powder, they can mix the plastic with cement paste to produce [concrete](#) that is up to 20 percent stronger than conventional concrete.

Concrete is, after water, the second most widely used material on the planet. The manufacturing of concrete generates about 4.5 percent of the world's human-induced [carbon dioxide emissions](#). Replacing even a small portion of concrete with irradiated plastic could thus help reduce the cement industry's global carbon footprint.

Reusing plastics as concrete additives could also redirect old water and soda bottles, the bulk of which would otherwise end up in a landfill.

"There is a huge amount of plastic that is landfilled every year," says Michael Short, an assistant professor in MIT's Department of Nuclear Science and Engineering. "Our technology takes plastic out of the landfill, locks it up in concrete, and also uses less cement to make the concrete, which makes fewer carbon dioxide emissions. This has the potential to pull plastic landfill waste out of the landfill and into buildings, where it could actually help to make them stronger."

The team includes Carolyn Schaefer '17 and MIT senior Michael Ortega, who initiated the research as a class project; Kunal Kupwade-Patil, a research scientist in the Department of Civil and Environmental Engineering; Anne White, an associate professor in the Department of Nuclear Science and Engineering; Oral Büyüköztürk, a professor in the Department of Civil and Environmental Engineering; Carmen Soriano of Argonne National Laboratory; and Short. The new paper appears in the

journal *Waste Management*.

"This is a part of our dedicated effort in our laboratory for involving undergraduates in outstanding research experiences dealing with innovations in search of new, better concrete materials with a diverse class of additives of different chemistries," says Büyüköztürk, who is the director of Laboratory for Infrastructure Science and Sustainability.

"The findings from this undergraduate student project open a new arena in the search for solutions to sustainable infrastructure."

An idea, crystallized

Schaefer and Ortega began to explore the possibility of plastic-reinforced concrete as part of 22.033 (Nuclear Systems Design Project), in which students were asked to pick their own project.

"They wanted to find ways to lower carbon dioxide emissions that weren't just, 'let's build nuclear reactors,'" Short says. "Concrete production is one of the largest sources of carbon dioxide, and they got to thinking, 'how could we attack that?' They looked through the literature, and then an idea crystallized."

The students learned that others have tried to introduce plastic into cement mixtures, but the plastic weakened the resulting concrete. Investigating further, they found evidence that exposing plastic to doses of gamma radiation makes the material's crystalline structure change in a way that the plastic becomes stronger, stiffer, and tougher. Would irradiating plastic actually work to strengthen concrete?

To answer that question, the students first obtained flakes of polyethylene terephthalate—plastic material used to make water and soda bottles—from a local recycling facility. Schaefer and Ortega manually sorted through the flakes to remove bits of metal and other

debris. They then walked the plastic samples down to the basement of MIT's Building 8, which houses a cobalt-60 irradiator that emits [gamma rays](#), a radiation source that is typically used commercially to decontaminate food.

"There's no residual radioactivity from this type of irradiation," Short says. "If you stuck something in a reactor and irradiated it with neutrons, it would come out radioactive. But gamma rays are a different kind of radiation that, under most circumstances, leave no trace of radiation."

The team exposed various batches of flakes to either a low or high dose of gamma rays. They then ground each batch of flakes into a powder and mixed the powders with a series of cement paste samples, each with traditional Portland cement powder and one of two common mineral additives: fly ash (a byproduct of coal combustion) and silica fume (a byproduct of silicon production). Each sample contained about 1.5 percent irradiated plastic.

Once the samples were mixed with water, the researchers poured the mixtures into cylindrical molds, allowed them to cure, removed the molds, and subjected the resulting concrete cylinders to compression tests. They measured the strength of each sample and compared it with similar samples made with regular, nonirradiated plastic, as well as with samples containing no plastic at all.

They found that, in general, samples with regular plastic were weaker than those without any plastic. The concrete with fly ash or silica fume was stronger than concrete made with just Portland cement. And the presence of irradiated plastic strengthened the concrete even further, increasing its strength by up to 20 percent compared with samples made just with Portland cement, particularly in samples with high-dose irradiated plastic.

The concrete road ahead

After the compression tests, the researchers went one step further, using various imaging techniques to examine the samples for clues as to why irradiated plastic yielded stronger concrete.

The team took their samples to Argonne National Laboratory and the Center for Materials Science and Engineering (CMSE) at MIT, where they analyzed them using X-ray diffraction, backscattered electron microscopy, and X-ray microtomography. The high-resolution images revealed that samples containing irradiated plastic, particularly at high doses, exhibited crystalline structures with more cross-linking, or molecular connections. In these samples, the crystalline structure also seemed to block pores within concrete, making the samples more dense and therefore stronger.

"At a nano-level, this irradiated plastic affects the crystallinity of concrete," Kupwade-Patil says. "The irradiated plastic has some reactivity, and when it mixes with Portland cement and fly ash, all three together give the magic formula, and you get stronger concrete."

"We have observed that within the parameters of our test program, the higher the irradiated dose, the higher the strength of concrete, so further research is needed to tailor the mixture and optimize the process with irradiation for the most effective results," Kupwade-Patil says. "The method has the potential to achieve sustainable solutions with improved performance for both structural and nonstructural applications."

Going forward, the team is planning to experiment with different types of plastics, along with various doses of [gamma radiation](#), to determine their effects on concrete. For now, they have found that substituting about 1.5 percent of concrete with irradiated plastic can significantly improve its strength. While that may seem like a small fraction, Short

says, implemented on a global scale, replacing even that amount of concrete could have a significant impact.

"Concrete produces about 4.5 percent of the world's carbon dioxide emissions," Short says. "Take out 1.5 percent of that, and you're already talking about 0.0675 percent of the world's carbon dioxide emissions. That's a huge amount of greenhouse gases in one fell swoop."

"This research is a perfect example of interdisciplinary multiteam work toward creative solutions, and represents a model educational experience," Büyükoztürk says.

More information: Carolyn E. Schaefer et al. Irradiated recycled plastic as a concrete additive for improved chemo-mechanical properties and lower carbon footprint, *Waste Management* (2017). [DOI: 10.1016/j.wasman.2017.09.033](https://doi.org/10.1016/j.wasman.2017.09.033)

Provided by Massachusetts Institute of Technology

Citation: Students fortify concrete by adding recycled plastic (2017, October 25) retrieved 21 September 2024 from

<https://phys.org/news/2017-10-students-fortify-concrete-adding-recycled.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--