

# NASA investigates invisible magnetic bubbles in outer solar system

1 November 2017, by Mara Johnson-Groh



This animation shows an aurora as observed from the International Space Station. Credit: NASA's Goddard Space Flight Center/Joy Ng

provide observations to create a comprehensive understanding of how planets form magnetospheres, as well as how they continue to interact with the dynamic space environment around them.


## Earth

Earth's magnetosphere is created by the constantly moving [molten metal](#) inside Earth. This invisible "force field" around our planet has a general shape resembling an ice cream cone, with a rounded front and a long, trailing tail that faces away from the sun. The magnetosphere is shaped that way because of the near-constant flow of [solar wind](#) and [magnetic field](#) from the Sun-facing side.

Space may seem empty, but it's actually a dynamic place populated with near-invisible matter, and dominated by forces, in particular those created by magnetic fields. Magnetospheres—the magnetic fields around most planets—exist throughout our solar system. They deflect high-energy, charged particles called cosmic rays that are spewed out by the Sun or come from interstellar space. Along with atmospheres, they happen to protect the planets' surfaces from this harmful radiation.

But not all magnetospheres are created equal: Venus and Mars do not have magnetospheres at all, while the other planets—and one moon—have ones that are surprisingly different.

NASA has launched a fleet of missions to study the planets in our solar system—many of which have sent back crucial information about magnetospheres. The twin Voyagers measured magnetic fields as they traveled out to the far reaches of the solar system, and discovered Uranus and Neptune's magnetospheres. Other planetary missions including Galileo, Cassini and Juno, and a number of spacecraft that orbit Earth,



Rotating animation of the planet Mercury. Credit: NASA's Goddard Space Flight Center/Joy Ng

Earth's and other magnetospheres deflect charged [particles](#) away from the planet—but also trap energetic particles in [radiation belts](#). Auroras are caused by particles that rain down into the atmosphere, usually not far from the magnetic poles.

It's possible that Earth's magnetosphere was essential for the development of conditions friendly to life, so learning about magnetospheres around other planets and moons is a big step toward determining if life could have evolved there.

### Mercury

Mercury, with a substantial iron-rich core, has a magnetic field that is only about 1 percent as strong as Earth's. It is thought that the planet's magnetosphere is compressed by the intense solar wind, limiting its extent. The MESSENGER satellite orbited Mercury from 2011 to 2015, helping us understand our tiny terrestrial neighbor.

### Jupiter

After the Sun, Jupiter has by far the strongest and biggest magnetic field in our solar system—it stretches about 12 million miles from east to west, almost 15 times the width of the Sun. (Earth's, on the other hand, could easily fit inside the Sun—except for its outstretched tail.) Jupiter does not have a molten metal core; instead, its magnetic field is created by a core of compressed liquid metallic hydrogen.

One of Jupiter's moons, Io, has powerful volcanic activity that spews particles into Jupiter's magnetosphere. These particles create intense radiation belts and auroras around Jupiter.

Ganymede, Jupiter's largest moon, also has its own magnetic field and magnetosphere—making it the only moon with one. Its weak field, nestled in Jupiter's enormous shell, scarcely ruffles the planet's magnetic field.

### Saturn

Saturn's huge ring system transforms the shape of its magnetosphere. That's because oxygen and

water molecules evaporating from the rings funnel particles into the space around the planet. Some of Saturn's moons help trap these particles, pulling them out of Saturn's magnetosphere, though those with active volcanic geysers—like Enceladus—spit out more material than they take in. NASA's Cassini mission followed in the Voyagers' wake, and studied Saturn's magnetic field from orbit around the ringed planet between 2004 and 2017.

### Uranus

Uranus' magnetosphere wasn't discovered until 1986, when data from Voyager 2's flyby revealed weak, variable radio emissions and confirmed when Voyager 2 measured the magnetic field directly. Uranus' magnetic field and rotation axis are out of alignment by 59 degrees, unlike Earth's, whose magnetic field and rotation axis are nearly aligned. On top of that, the magnetic field does not go directly through the center of the planet, so the strength of the magnetic field varies dramatically across the surface. This misalignment also means that Uranus' magnetotail—the part of the magnetosphere that trails behind the planet, away from the Sun—is twisted into a long corkscrew.

### Neptune

Neptune was also visited by Voyager 2, in 1989. Its magnetosphere is offset from its [rotation axis](#), but only by 47 degrees. Similar to Uranus, Neptune's magnetic [field](#) strength varies across the planet. This means that auroras can appear across the planet—not just close to the poles, like on Earth, Jupiter and Saturn.

### And beyond

Outside of our solar system, auroras, which indicate the presence of a [magnetosphere](#), have been spotted on brown dwarfs—objects that are bigger than planets but smaller than stars. There's also evidence to suggest that some giant exoplanets have magnetospheres, but we have yet to see conclusive proof. As scientists learn more about the magnetospheres of planets in our solar system, it can help us one day identify magnetospheres around more distant [planets](#) as well.

Provided by NASA's Goddard Space Flight Center

APA citation: NASA investigates invisible magnetic bubbles in outer solar system (2017, November 1) retrieved 28 November 2020 from <https://phys.org/news/2017-11-nasa-invisible-magnetic-outer-solar.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*