


Fighting myocardial infarction with nanoparticle tandems

December 4 2017



Via a cannula introduced into the infarction area, the cells loaded with magnetic nanoparticles are injected into the damaged heart muscle tissue of the mouse.

Credit: Dr. Annika Ottersbach/Uni Bonn

How can damaged cardiac tissue following a heart attack best be treated with replacement muscle cells? A research team under the supervision of

the University of Bonn reports an innovative method: Muscle replacement cells to take over the function of the damaged tissue are loaded with magnetic nanoparticles. These nanoparticle-loaded cells are then injected into the damaged heart muscle and held in place by a magnet, causing the cells to engraft better onto the existing tissue. Using a mouse model, the scientists show that this leads to a significant improvement in heart function. The results are published online in *Biomaterials*.

During a heart attack, clots usually lead to persistent circulatory problems in parts of the heart [muscle](#), causing [heart muscle cells](#) to die. Attempts have been made to revitalize the damaged [heart tissue](#) with replacement cells, though none were successful. "Most of the cells are pushed out of the puncture channel during the injection due to the pumping action of the beating heart," explains Prof. Dr. Wilhelm Röll from the Department of Cardiac Surgery at University Hospital Bonn. Therefore, only a few spare cells remain in the heart muscle, which means that repair is limited.

With an interdisciplinary team, Prof. Röll tested an innovative approach to ensure that the injected replacement cells remain in the desired location and engraft onto the heart tissue. The experiments were performed on mice that had previously suffered heart attack. In order to better follow the cardiac muscle replacement, the researchers used EGFP-expressing cells obtained from fetal mouse hearts or mouse stem cells. These fluorescent muscle cells were loaded with tiny magnetic nanoparticles and injected through a fine cannula into the damaged heart tissue of the mice.

In some of the rodents treated this way, a magnet placed at a distance of a few millimeters from the surface of the heart ensured that a large part of the nanoparticle-loaded replacement cells remained at the desired location. "Without a magnet, about a quarter of the added cells remained

in the heart tissue; with a magnet, about 60 percent of them stayed in place," reports Dr. Annika Ottersbach. Ten minutes under the magnetic field were sufficient to keep a significant proportion of nanoparticle-loaded muscle cells at the target site. Even days after the procedure, the injected cells remained in place and gradually attached themselves to the existing tissue.

"This is surprising, especially since the infarct [tissue](#) is relatively undersupplied due to poor perfusion," says Prof. Röhl. Under the influence of the magnet, the replacement fewer muscle cells died, engrafted better and multiplied more. The researchers investigated the reasons for the improved growth, finding that these implanted [heart](#) muscle cells were packed more densely and could survive better thanks to the more intensive cell-cell interaction. Moreover, the gene activity of many survival functions, such as for cellular respiration, was higher than without a magnet in these replacement cells.

The researchers also demonstrated that cardiac function significantly improved in mice that were treated with nanoparticle muscle [cells](#) in combination with a magnet. "After two weeks, seven times as many replacement [muscle cells](#) survived, and after two months, four times as many compared to conventional implantation technology," reports Prof. Röhl. Given the lifespan of mice of a maximum of two years, this is a surprisingly lasting effect.

More information: Annika Ottersbach et al, Improved heart repair upon myocardial infarction: Combination of magnetic nanoparticles and tailored magnets strongly increases engraftment of myocytes, *Biomaterials* (2017). [DOI: 10.1016/j.biomaterials.2017.11.012](https://doi.org/10.1016/j.biomaterials.2017.11.012)

Provided by University of Bonn

Citation: Fighting myocardial infarction with nanoparticle tandems (2017, December 4) retrieved 18 April 2024 from

<https://phys.org/news/2017-12-myocardial-infarction-nanoparticle-tandems.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.