

# **DNA analysis of ancient mummy, thought to have smallpox, points to Hepatitis B instead**

January 4 2018

---



The mummified remains of a small child buried in the Basilica of Saint Domenico Maggiore in Naples, Italy. Previous analysis of the 16th century remains had suggested the child was infected with smallpox, in what had been believed to be the earliest dated evidence of the virus. Advanced sequencing techniques, now suggest the child was actually infected by Hepatitis B. Credit: Gino Fornaciari, University of Pisa

A team of scientists has sequenced the complete genome of an ancient strain of the Hepatitis B virus (HBV), shedding new light on a pervasive, complex and deadly pathogen that today kills nearly one million people every year.

While little is known about its evolutionary history and origin, the findings confirm the idea that HBV has existed in humans for centuries.

The findings are based on genomic data extracted from the mummified remains of a small child buried in the Basilica of Saint Domenico Maggiore in Naples, Italy.

Previous scientific analysis of the 16th century remains—which did not include DNA testing—suggested the child was infected with Variola virus, or smallpox. In fact, this was the oldest evidence for the presence of smallpox in Medieval remains and a critical time stamp for its origins.

Using advanced sequencing techniques, researchers now suggest otherwise—the child was actually infected by HBV. Interestingly, children infected with HBV infections can develop a facial rash, known as Gianotti-Crosti syndrome. This may have been misidentified as smallpox and illustrates the trickiness of identifying infectious disease in

the past.

The findings are published online in the journal *PLOS Pathogens*.

"These data emphasize the importance of molecular approaches to help identify the presence of key pathogens in the past, enabling us to better constrain the time they may have infected humans," explains Hendrik Poinar, an evolutionary geneticist with the McMaster Ancient DNA Centre and a principal investigator with the Michael G. DeGroote Institute for Infectious Disease Research.

Using small tissue samples of skin and bone, scientists were able to tease out tiny fragments of DNA and then stitch together pieces of genetic information to create a much more complete picture.

While viruses often evolve very rapidly—sometimes in just days—researchers suggest that this ancient strain of HBV has changed little over the last 450 years and that the evolution of this [virus](#) is complex.

While the team found a close relationship between the ancient and modern strains of HBV, both are missing what is known as temporal structure. In other words, there is no measurable rate of evolution throughout the 450-year period which separates the mummy sample from modern samples.

By some estimates, more than 350 million people living today have chronic HBV infections while approximately one-third of the global population has been infected at some point in their lives. Researchers suggest that the underline the importance of studying ancient viruses.

"The more we understand about the behaviour of past pandemics and outbreaks, the greater our understanding of how modern pathogens

might work and spread, and this information will ultimately help in their control," says Poinar.

Provided by McMaster University

Citation: DNA analysis of ancient mummy, thought to have smallpox, points to Hepatitis B instead (2018, January 4) retrieved 20 September 2024 from <https://phys.org/news/2018-01-dna-analysis-ancient-mummy-thought.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.