


Researchers develop highly stretchable aqueous batteries

January 26 2018



Schematic showing the sequences in the overall fabrication process. Credit: UNIST


The current development of stretchable battery materials that mimic the functions of nature has emerged for the next wave of wearable electronics. A recent study presented a bioinspired Jaboticaba-like hybrid carbon/polymer (HCP) composite that was developed into a stretchable current collector using a simple, cost-effective solution

process. Using the HCP composite as a stretchable current collector, the research team has, for the first time, developed a highly stretchable rechargeable lithium-ion battery (ARLB) based on aqueous electrolytes.

This breakthrough was led by Professor Soojin Park in the School of Energy and Chemical Engineering in collaboration with Professor Kwanyong Seo and Professor So Youn Kim in the School of Energy and Chemical Engineering at UNIST.

The increasing interest and demand of flexible electronics has fueled the search for highly stretchable electrodes with high mechanical durability and high electrical conductivity during deformation. Although many methods have been proposed for these electrodes, none of them has managed to achieve high stretchability for the electrodes and a scalable manufacturing process.

Professor Park solved such issues using a conductive polymer composite, composed of Jabuticaba-like hybrid [carbon](#) fillers containing carbon nanotubes and carbon black in a simple solution process. The shape of this structure resembled that of a Jabuticaba tree, the Brazilian grapetree.



Schematic showing the comprehensive structural development of the HCP composites under strain. Credit: UNIST

The research team observed that the HCP composite is found to retain its electrical conductivity under high strain rates. This makes it suitable for use in highly stretchable aqueous Li-ion batteries.

"Our findings are expected to expand the number of stretchable nanocomposites with electrochemical and mechanical properties available for use in a wide variety of applications," says Professor Seo, who was in charge of the fabrication of stretchable current collectors.

A detailed analysis of the percolation behaviors of the conductive filler within the composite was done using an in situ SAXS measurement under stretching, which revealed that the different types of carbon in the filler led to a formation of highly interconnected cosupporting networks. Professor So Youn Kim led the in situ SAXS experiments. SAXS is a highly useful technique for measuring the behavior of nanofillers in

polymer matrices. Besides, the research team has, for the first time, developed stretchable ARLB as a stretchable power source, using the HCP composite as a stretchable current collector and they have delivered stable power to a LED even under 100% strain.

"This study is expected to facilitate the design of stretchable nanocomposites with optimized electrochemical and mechanical properties for use in energy storage devices and [stretchable electronics](#)," says Professor Kim.

More information: Woo-Jin Song et al, Jabuticaba-Inspired Hybrid Carbon Filler/Polymer Electrode for Use in Highly Stretchable Aqueous Li-Ion Batteries, *Advanced Energy Materials* (2018). [DOI: 10.1002/aenm.201702478](#)

Provided by Ulsan National Institute of Science and Technology

Citation: Researchers develop highly stretchable aqueous batteries (2018, January 26) retrieved 18 April 2024 from <https://phys.org/news/2018-01-highly-stretchable-aqueous-batteries.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--