

Disappearing act: Biologists document the secondary extinction of a disease-carrying mosquito

February 28 2018, by Julie Cohen



Native to Southeast Asia, the Asian tiger mosquito (*Aedes albopictus*) has spread to many countries through the transport of goods and international travel. Credit: University of California - Santa Barbara

The Asian tiger mosquito—carrier of such diseases as dengue, yellow fever, Rift Valley fever, Chikungunya and Zika—appears to have vanished from Palmyra.

Not native to the small atoll 1,000 miles south of Hawaii, *Aedes albopictus* likely came to Palmyra during World War II, when the United States took it over as a base of operations. The military imported many other species as well, including the common black rat, *Rattus rattus*, a large tree-dwelling rodent whose blood fed many of the mosquitoes. The rats also ate juvenile coconuts, leaving the shells as potential habitat for mosquito larvae.

In 2011, to help Palmyra recover from the ecological damage wreaked by the non-native rats, land managers implemented an aerial drop of rodenticide that quickly eradicated them. Without rats to feed on, the mosquitoes were left with only humans to bite. But rather than being bitten more, people eventually were not bitten at all. Researchers began to wonder if the Asian tiger mosquito had disappeared along with the rats. Now, in the journal *Biology Letters*, a team of UC Santa Barbara scientists and colleagues at the United States Geological Survey (USGS) chronicles this unique example of co-extinction.

"We believe that this is the first documented accidental secondary extinction of a mosquito," said the paper's co-author Hillary Young, an associate professor in UC Santa Barbara's Department of Ecology, Evolution, and Marine Biology (EEMB). "We hypothesized that *Aedes* was eradicated from Palmyra primarily because its persistence depended on taking blood meals from rats."

Young's earlier research on Palmyra's terrestrial systems produced a large data set that predated the rat eradication. Evidence for the presence of the Asian tiger mosquito prior to eradication efforts included surveys of insects with black-light traps and anecdotal observations from bitten

researchers.

After the rats were gone, Young and a team of UCSB researchers intensified their mosquito survey efforts to include highly effective scent traps but were unable to locate even a single mosquito. They also surveyed visitors to Palmyra to see if they were still reporting being bitten by this aggressive and conspicuous day-biting mosquito. They were not. Two years of mosquito surveillance without success met the World Health Organization's standards for their eradication.

"Normally we mourn species losses, but without introduced rats and mosquitoes, Palmyra Atoll is as close to paradise as you could imagine," explained lead author Kevin Lafferty, an USGS ecologist and an adjunct EEMB faculty member at UCSB.

"Eradicating mosquitoes by eradicating a key host provides a relatively unexplored way to combat the diseases [mosquitoes](#) transmit," Young said. "Our case study highlights this potential for synergies between public health and an increasingly common conservation intervention."

While certainly not a panacea for mosquito-borne disease, this research does suggest new directions for controlling these important disease vectors, especially in places where introduced species are utilized heavily.

More information: Kevin D. Lafferty et al. Local extinction of the Asian tiger mosquito (*Aedes albopictus*) following rat eradication on Palmyra Atoll, *Biology Letters* (2018). [DOI: 10.1098/rsbl.2017.0743](https://doi.org/10.1098/rsbl.2017.0743)

Provided by University of California - Santa Barbara

Citation: Disappearing act: Biologists document the secondary extinction of a disease-carrying mosquito (2018, February 28) retrieved 26 April 2024 from

<https://phys.org/news/2018-02-biologists-document-secondary-extinction-disease-carrying.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.