

## New patented technology removes phosphorus from manure

April 9 2018



MAPHEX was designed to be a mobile system that fits on two large flatbed trailers to service a number of small- or medium-size dairies. If it is scaled up to have the capacity to treat manure from a large dairy, it would no longer be mobile. Credit: Hristov Research Group / Penn State

## An innovation that could have a huge impact on water quality problems



in the United States, a system capable of removing almost all phosphorus from stored livestock manure, was developed by a team of researchers from Penn State and the U.S. Department of Agriculture's Agricultural Research Service.

Excess phosphorus, primarily in runoff from land application of manure, accounts for about 66 percent of impaired conditions of U.S. rivers and has created large areas of eutrophication—dead zones—in the Chesapeake Bay and the Gulf of Mexico, where aquatic life cannot survive. Nutrient pollution is one of America's most widespread, costly and challenging environmental problems, according to the Environmental Protection Agency.

The system devised by Penn State and USDA scientists—dubbed MAPHEX for MAnure PHosphorus EXtraction—involves a three-stage process, including liquid-solid separation with an auger press and centrifuge; chemical treatment with the addition of iron sulfate; and final filtration with diatomaceous earth. The machine is designed to process manure from manure-storage tanks or pits on <u>dairy</u> farms.


"This technology could be a game-changer if we can modify it to achieve lower operating costs," said lead Penn State researcher Alex Hristov, professor of dairy nutrition in the College of Agricultural Sciences. "The final stage uses diatomaceous earth to filter phosphorous from the fluid and that material is expensive."

Clinton Church, with USDA Agricultural Research Service's Pasture Systems and Watershed Management Research Unit, said the team is currently looking at recycling the diatomaceous earth. "We are also trying to find a less expensive substitute for the filtration stage of the MAPHEX process, such as replacing the filtration stage with another centrifuge," Church said.



When tested at 150- and 2,700-cow dairies, about 98 percent of the phosphorus was removed from manure slurries, along with 93 percent of the solids. As currently configured, the MAPHEX system would cost approximately \$750 per dairy cow per year for a dairy operation—an unrealistic cost when EPA is not imposing restrictions on phosphorus runoff from farms and no government subsidies exist to pay for such technology.

But in the future, if the government enforces clean water regulations on agriculture and if



The system devised by Penn State and USDA scientists -- dubbed MAPHEX for MAnure PHosphorus EXtraction -- involves a three-stage process, including liquid-solid separation with an auger press and centrifuge, chemical treatment



with the addition of iron sulfate, and final filtration with diatomaceous earth. The machine is designed to process manure from manure-storage tanks or pits on dairy farms. Credit: Hristov Research Group/Penn State

MAPHEX can be made more affordable to operate, its potential is enormous, Hristov believes.

"We anticipate that refinement of the process and beneficial uses of the solids removed from the manure—such as for plant bedding, compost and fertilizer—will improve cost-efficacy considerably," he said. "And from a stewardship point of view, some larger farmers who can afford to may want to implement a system like this."

Penn State and USDA, which were granted a joint patent on the system in 2017, are looking to license the technology, probably to a large agricultural or waste-processing company. They are not looking to enter into a business arrangement to produce the system, Hristov and Church noted.

Research on the MAPHEX system was conducted in central Pennsylvania, part of the Chesapeake Bay Watershed and an area with an intense focus on developing treatment systems for manure. Manure from the dairy sector was estimated in 2010 to account for 20 percent of all phosphorus in the Chesapeake Bay watershed.

Explaining why Pennsylvania was the perfect place to develop MAPHEX, Hristov pointed out that the majority of dairy farms in the study area are small, with fewer than 100 head of cows milked. But an increasing number of larger operations with more than 1,000 head can now be found.



"The liquid nature of most stored dairy manure reduces its potential for off-farm transport and was the impetus for developing treatment options to manipulate manure solids and nutrients," Hristov said.

MAPHEX was designed to be a mobile system that fits on two large flatbed trailers to service a number of small- or medium-size dairies. If it is scaled up to have the capacity to treat manure from a large dairy, it would no longer be mobile. "If the system is produced by an ag company, we think manure haulers can make a business out of it, a few small dairies could cooperate and buy one, or big dairies with thousands of cows can build a stationary system."

The MAPHEX is not just for <u>cow manure</u>. Church said the technology is compatible with swine manure and it probably could work with chicken <u>manure</u>, too, but because the latter is dry, it would have to be diluted before the process could work.

Provided by Pennsylvania State University

Citation: New patented technology removes phosphorus from manure (2018, April 9) retrieved 26 April 2024 from <a href="https://phys.org/news/2018-04-patented-technology-phosphorus-manure.html">https://phys.org/news/2018-04-patented-technology-phosphorus-manure.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.