


Signals from a spectacular neutron star merger that made gravitational waves are slowly fading away

1 May 2018, by Tara Murphy And David Kaplan



Neutron star merger. Credit: NASA's Goddard Space Flight Center/CI Lab

Eight months ago, the detection of gravitational waves from a binary neutron star merger had us and other astronomers around the world rushing to observe one of the most energetic events in the universe.

What most people don't realise is that we continued to observe the event every few weeks from then up to now.

Our team started searching for radio emission from the merger, [known as GW170817](#), making a detection two weeks after the August event. Now, the radio emission is starting to fade.

As we prepare to say goodbye (at least for now) to this incredible object, we reflect on what we've learned so far, with [our paper accepted for publication](#) in the *Astrophysical Journal*.


The detection of gravitational waves and electromagnetic radiation (such as [light](#) and radio waves) from the same object mean physicists have

been able to:

- confirm a prediction of general relativity that [gravitational waves travel at the speed of light](#)
- figure out how matter behaves when you squeeze it harder than in the nucleus of an atom
- explain where some of the gold (and other heavy elements) in the universe are produced
- and start to solve a decades-old mystery about what causes short gamma-ray bursts.

Observing the merger

Radio telescopes such as the [Australia Telescope Compact Array](#) and the [Jansky Very Large Array](#) (in the United States) are designed to detect electromagnetic radiation with wavelengths from centimetres to metres.



Radio observations of GW170817 from two telescopes. The central bright object in each image is the host galaxy NGC 4993. The smaller bright spot in the crosshairs is the neutron star merger. Credit: David Kaplan. Data from

Mooley et al. (2018), Nature, 554, 207, Author provided

Unlike visible light, radio waves travel through space almost unimpeded by dust. They can be detected during the day as well as at night: radio telescopes can observe around the clock.

The radio waves we detected have travelled 130 million light years from the galaxy [NGC 4993](#) where the [neutron](#) star merger took place.

When the two [neutron stars](#) collided they emitted a burst of gamma rays shortly after, which was detected by the Fermi satellite 1.74 seconds after the [gravitational waves](#). What happened next in the explosion is what we've all been trying to work out.

Within 12 hours astronomers had detected a bright, fading signal in visible light. We think this came from neutron star material flung out at 50% of the speed of light. It was glowing hot from a bunch of radioactive decays.

Neutron stars are the most dense objects we know of, except for black holes: imagine the Sun squashed into a region the size of a city.

When two neutron stars collide they form a new object that has slightly less mass than the two original stars: in this case likely a new black hole. A tiny fraction of the mass is blasted out as both matter and energy (remember $E=mc^2$) and that is what we detect on Earth.

What do radio waves tell us?

The radio emission we detected days later, though, is a different matter.

Radio waves are created when electrons are accelerated in magnetic fields. This happens at shock fronts in space, as material from stellar explosions crashes into the stuff around the star.

This stuff is called the interstellar medium and is about 10 quintillion times less dense than air on Earth (almost, but not quite, a vacuum). The nature of the [radio waves](#) tells us the details of this shock,

which we can run backward in time to try to understand the explosion.


One big question is whether there was a narrow jet of material moving at 99.99% of the speed of light that punched its way out of the explosion and hit the interstellar medium.

We think that these must happen in gamma-ray bursts: did that happen here?

What happened in the explosion?

We're still not sure of the details, but we don't think there was a successful jet in GW170817. That's because we have now observed the [radio](#) emission start to fade (the optical emission started to fade immediately).

This shows the explosion probably isn't a classic gamma-ray burst with relativistic jets, as shown in the figure below (left). What is more likely is that we are seeing a "cocoon" of material that has broken out from the explosion.



Models of what might be happening in the merger. Our data has shown the left option is unlikely, and the radio emission is probably caused by a cocoon of material (right). Credit: Kasliwal et al., Science (2017), Author provided

So where does this material come from?

The material flung out of the neutron [stars](#) (known

as ejecta) was moving fast, about 50% of the speed of light. What if there was an even faster (99.99% of the speed of light) jet that happened soon after?

More information: arxiv.org/abs/1803.06853


This jet could have blown a bubble in the ejecta, making it move faster (maybe 90% of the speed of light) and stopping the jet in its tracks: we call this a cocoon.

This article was originally published on [The Conversation](#). Read the [original article](#).

Provided by The Conversation

Saying goodbye (for now)

After eight months of watching GW170817 we know that it is different to anything we've seen before, and has behaved in completely unexpected ways.



Radio observations of the neutron star merger show that it is now fading. Credit: David Kaplan, Dougal Dobie. Data from Dobie et al. (2018), ApJL, Author provided

The [radio emission](#) is now fading, but this may not be the end of the story. Most models predict a long term afterglow from neutron star mergers, so GW170817 might reappear months or even years in the future.

In the meantime, we are waiting with anticipation for the [Laser Interferometer Gravitational-Wave Observatory \(LIGO\)](#) to start its next observing run early next year. We might even capture a new type of event, a neutron star merging with a black hole.

APA citation: Signals from a spectacular neutron star merger that made gravitational waves are slowly fading away (2018, May 1) retrieved 18 June 2019 from <https://phys.org/news/2018-05-spectacular-neutron-star-merger-gravitational.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.