

## **Researchers develop faster test for cannabis quality**

May 17 2018, by Nathan Skolski



Credit: CC0 Public Domain

With the coming legalization of cannabis in Canada, producers are increasingly looking for quick and accurate means of determining the potency and quality of their products.



Researchers at UBC's Okanagan campus have developed a new method of measuring phytocannabinoids—the primary bioactive molecules in cannabis—that will lead to faster, safer and more accurate information for producers, regulators and consumers alike.

"There is growing demand on testing labs from licensed cannabis growers across the US and Canada who are under pressure to perform potency testing on ever-increasing quantities of product," says Matthew Noestheden, Ph.D. chemistry student under Prof. Wesley Zandberg at UBC's Okanagan campus. "Traditional tests can take upwards of 20 minutes to perform, where we can do it in under seven. It will save a great deal of time and money for producers with enormous greenhouses full of thousands of samples requiring testing."

Noestheden says that not only can he <u>test</u> the substance in record time, but he can also test for a virtually limitless number of phytocannabinoid variants.

"Most people are familiar with THC as the primary bioactive compound in cannabis. But in reality, there are more than 100 different phytocannabinoid variants, many with their own unique biological effects," says Noestheden. "The problem is that it's very difficult to differentiate between them when testing cannabis potency."

The research team overcame the problem by using high-pressure liquid chromatography—an instrument that isolates each phytocannabinoid to measure them independently. They were able to discern the potency of 11 unique phytocannabinoids in cannabis extracts, which is important for determining the safety and authenticity of cannabis products.

"We tested twice as many phytocannabinoids compared to what most labs are testing for now, and more than twice as fast," says Noestheden. "We limited our tests to 11 variants because these were the only ones



commercially available at the time. We could just as easily test for 50 or even all 100 variants, including some synthetic cannabinoids that can be added to products to increase potency."

Noestheden says his method was designed to be rolled out in labs around the world. Having worked with Rob O'Brien, president of Supra Research and Development, a cannabis testing lab and industry partner of this study, Noestheden now hopes his new method can be put straight to good use by helping researchers connect variation in phytocannabinoids with the pharmacological effects of various cannabis products.

"It's an elegant solution because any cannabis testing lab with the appropriate instrumentation should be able to adopt the new method with minimal additional investment, making the whole process cheaper and faster."

The study was published in the journal *Phytochemical Analysis* with funding from MITACS, the University Graduate Fellowship and the Walter C. Sumner Memorial Fellowship.

**More information:** Matthew Noestheden et al, Chromatographic characterisation of 11 phytocannabinoids: Quantitative and fit-to-purpose performance as a function of extra-column variance, *Phytochemical Analysis* (2018). DOI: 10.1002/pca.2761

Provided by University of British Columbia

Citation: Researchers develop faster test for cannabis quality (2018, May 17) retrieved 20 September 2024 from <u>https://phys.org/news/2018-05-faster-cannabis-quality.html</u>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.