

# Earth's first giant predators produced killer babies

June 4 2018



Artistic representation of juvenile (foreground) and adult (background) *Lyrarapax unguispinus* hunting in the water column. Relative sizes are based on the smallest (length: 1.8 cm) and largest (length: 8 cm) known specimens of *L. unguispinus*. Credit: Science China Press

A new fossil study, led by Jianni Liu from the Northwest University in China, shows young radiodontan arthropods could be voracious predators, too.

Some of the earliest predators that patrolled the oceans over 500 million years ago are also some of the largest [animals](#) to have lived at the time. However, a new fossil study led by Jianni Liu from the Northwest University of Xi'an in China, has shown that their tiny babies were also proficient killers.

The "creepy crawly" animal group known as the Arthropoda, which includes spiders, insects and crustaceans, has been the inspiration for many science fiction monsters, largely due to their scary-looking appendages. Some of the oldest and most primitive [arthropod](#) species belong to a group called the Radiodonta ("radiating teeth"), which were armed with large, spiny raptorial (or grasping) appendages at the front of the head and a circular mouth adorned with tooth-like serrations. These animals, including the famous Anomalocaris, are considered the giant apex predators of their time, reaching lengths of over one metre.

Until now, virtually nothing was known about the juveniles of radiodontans and their feeding habits. The discovery of an exceptionally preserved juvenile of a species called *Lyrarapax unguispinus* from the early Cambrian (518 million-year-old) Chengjiang biota of China has shed new light on this iconic group of fossil arthropods.

At only 18mm in total body length, this almost complete specimen represents the smallest radiodontan ever found. To the surprise of the research team, its anatomy is extraordinarily well developed—especially the spiny grasping appendages—giving it the appearance of a miniaturised adult. This indicates that *Lyrarapax unguispinus* was a well-equipped [predator](#) at an early developmental stage, similar to modern arthropods such as praying mantises, mantis shrimps and arachnids. This discovery confirms that raptorial feeding habits in juveniles appeared early on in the evolutionary history of arthropods.

This fossil find also has important implications for the rapid evolution of

the first animals over a half-billion years ago—an event referred to colloquially as the Cambrian Explosion. It is hypothesised that predation was a major driver of this evolutionary event, with predators placing selective pressures on animal communities, forcing prey species to adapt and evolve or face extinction. The predatory lifestyles of juvenile radiodontans adds further complexity to Cambrian marine food webs by placing additional pressures on small prey during this evolutionary arms race.

**More information:** Jianni Liu et al, Origin of raptorial feeding in juvenile euarthropods revealed by a Cambrian radiodontan, *National Science Review* (2018). [DOI: 10.1093/nsr/nwy057](https://doi.org/10.1093/nsr/nwy057)

Provided by Science China Press

Citation: Earth's first giant predators produced killer babies (2018, June 4) retrieved 16 April 2024 from <https://phys.org/news/2018-06-earth-giant-predators-killer-babies.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.