

Microscale superlubricity could pave way for future improved electromechanical devices

1 August 2018



Credit: CC0 Public Domain

Lubricity measures the reduction in mechanical friction and wear by a lubricant. These are the main causes of component failure and energy loss in mechanical and electromechanical systems. For example, one-third of the fuel-based energy in vehicles is expended in overcoming friction. So superlubricity—the state of ultra-low friction and wear—holds great promise for the reduction of frictional wear in mechanical and automatic devices.

A new joint Tel Aviv University/Tsinghua University study finds that robust structural superlubricity can be achieved between dissimilar, microscale-layered materials under high external loads and [ambient conditions](#). The researchers found that microscale interfaces between graphite and hexagonal boron nitride exhibit ultra-low friction and wear. This is an important milestone for future technological applications in space, automotive, electronics and medical industries.

The research is the product of a collaboration between Prof. Oded Hod and Prof. Michael Urbakh of TAU's School of Chemistry; and Prof. Ming Ma and Prof. Quanshui Zheng of Tsinghua University's Department of Mechanical Engineering and their colleagues. It was conducted under the auspices of the joint TAU-Tsinghua collaborative XIN Center and was published in *Nature Materials* on July 30.

Enormous implications for computer and other devices

The new interface is six orders of magnitude larger in surface area than earlier nanoscale measurements and exhibits robust superlubricity in all interfacial orientations and under ambient conditions.

"Superlubricity is a highly intriguing physical phenomenon, a state of practically zero or ultra-low friction between two contacting surfaces," says Prof. Hod. "The practical implications of achieving robust superlubricity in macroscopic dimensions are enormous. The expected energy savings and wear prevention are huge."

"This discovery may lead to a new generation of computer hard discs with a higher density of stored information and enhanced speed of information transfer, for example," adds Prof. Urbakh. "This can be also used in a new generation of ball bearing to reduce rotational [friction](#) and support radial and axial loads. Their energy losses and wear will be significantly lower than in existing devices."

The experimental part of the research was performed using atomic force microscopes at Tsinghua and the fully atomistic computer simulations were completed at TAU. The researchers also characterized the degree of crystallinity of the graphitic surfaces by conducting

spectroscopy measurements.

Close collaboration

The study arose from an earlier prediction by theoretical and computational groups at TAU that robust structural superlubricity could be achieved by forming interfaces between the materials graphene and [hexagonal boron nitride](#). "These two materials are currently in the news following the 2010 Nobel Prize in Physics, which was awarded for groundbreaking experiments with the two-dimensional material graphene. Superlubricity is one of their most promising practical applications," says Prof. Hod.

"Our study is a tight collaboration between TAU theoretical and computational groups and Tsinghua's experimental group," says Prof. Urbakh. "There is a synergic cooperation between the groups. Theory and computation feed laboratory experiments that, in turn, provide important realizations and valuable results that can be rationalized via the computational studies to refine the theory."

The research groups are continuing to collaborate in this field studying the fundamentals of superlubricity, its extensive applications and its effect in ever larger interfaces.

More information: Yiming Song et al, Robust microscale superlubricity in graphite/hexagonal boron nitride layered heterojunctions, *Nature Materials* (2018). [DOI: 10.1038/s41563-018-0144-z](https://doi.org/10.1038/s41563-018-0144-z)

Provided by Tel Aviv University

APA citation: Microscale superlubricity could pave way for future improved electromechanical devices (2018, August 1) retrieved 27 June 2019 from <https://phys.org/news/2018-08-microscale-superlubricity-pave-future-electromechanical.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.