


EXP2 protein helps deadliest malaria parasite obtain nutrients during infection

27 August 2018



A group of proteins, called the Plasmodium translocon of exported proteins (PTEX), has been shown to be essential for transporting materials to and from the vacuole, the cellular compartment in which the malaria parasite resides. Researchers at the National Institutes of Health have determined that the PTEX protein EXP2 forms a channel in the vacuole membrane, which allows for passage of proteins and cellular nutrients to supply the parasite. Credit: the Eunice Kennedy Shriver National Institute of Child Health and Human Development, National Institutes of Health

Researchers from the National Institutes of Health and other institutions have deciphered the role of a key protein that the malaria parasite *Plasmodium falciparum* uses to obtain nutrients while infecting red blood cells. Their study appears in *Nature Microbiology*.

According to the World Health Organization, in 2016 there were an estimated 216 million malaria cases and 445,000 malaria deaths. *P. falciparum* is

responsible for most malaria-related deaths globally.

The parasite remodels the [red blood cell](#) it infects to obtain nutrients. During this process, the parasite secretes hundreds of proteins that need to be transported from the vacuole, the compartment in which the parasite resides, to the interior of the cell. A group of proteins, called the Plasmodium translocon of exported proteins (PTEX), has been shown to be essential for transporting materials to and from the vacuole. Previous studies have uncovered the function of one of the proteins in the PTEX group to reshape proteins for transport, but the function of other proteins in the group have not been well understood.

In the current study, researchers analyzing blood cell cultures from healthy people determined that the PTEX [protein](#) EXP2 forms a channel in the vacuole membrane, which allows for passage of proteins and cellular nutrients to supply the parasite. The researchers hope that their discovery will lead to the development of new drugs to prevent formation of the channel and block the transport of nutrients and proteins to the parasite.

More information: Matthias Garten et al. EXP2 is a nutrient-permeable channel in the vacuolar membrane of *Plasmodium* and is essential for protein export via PTEX, *Nature Microbiology* (2018). [DOI: 10.1038/s41564-018-0222-7](https://doi.org/10.1038/s41564-018-0222-7)

Provided by NIH/Eunice Kennedy Shriver National Institute of Child Health and Human Development

APA citation: EXP2 protein helps deadliest malaria parasite obtain nutrients during infection (2018, August 27) retrieved 2 March 2021 from <https://phys.org/news/2018-08-exp2-protein-deadliest-malaria-parasite.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.