


Pushing 'print' on large-scale piezoelectric materials

6 September 2018



Atomic force microscopy imaging of 2D GaPO₄ and piezoelectric measurements at varying applied voltages
Credit: FLEET

First ever large-scale 2-D surface deposition of piezoelectric material—Simple, inexpensive technique opens new fields for piezo-sensors & energy harvesting

Researchers have developed a revolutionary method to 'print' large-scale sheets of two dimensional [piezoelectric material](#), opening new opportunities for piezo-sensors and energy harvesting.

Importantly, the inexpensive process allows the integration of piezoelectric components directly onto silicon chips.

Until now, no 2-D piezoelectric material has been manufactured in large sheets, making it impossible to integrate into silicon chips or use in large-scale surface manufacturing.

This limitation meant that piezo accelerometer devices—such as vehicle air bag triggers or the devices that recognise orientation changes in mobile phones—have required separate, expensive components to be embedded onto silicon substrates, adding significant manufacturing costs.

Now, FLEET researchers at RMIT University in Melbourne have demonstrated a method to produce large-scale 2-D gallium phosphate sheets, allowing this material to be formed at large scales in low-cost, low-temperature manufacturing processes onto silicon substrates, or any other surface.


Gallium phosphate (GaPO₄) is an important piezoelectric material commonly used in [pressure sensors](#) and microgram-scale mass measurement, particularly in high temperatures or other harsh environments.

"As so often in science, this work builds on past successes," lead researcher Professor Kouros Kalantar-zadeh explains. "We adopted [the liquid-metal material deposition technique we developed recently](#) to create 2-D films of GaPO₄ through an easy, two-step process."

Professor Kalantar-zadeh, now Professor of Chemical Engineering at UNSW, led the team that developed the new method while Professor of Electronic Engineering at RMIT University. The work was materialised as a result of significant contribution from RMIT's Dr. Torben Daeneke and extreme persistence and focus shown by the first author of the work, Ph.D. researcher Nitu Syed.

The revolutionary new method allows easy, inexpensive growth of large-area (several centimetres), wide-bandgap, 2-D GaPO₄ nanosheets of unit cell thickness.

It is the first demonstration of strong, out-of-plane piezoelectricity of the popular piezoelectric material.



Upper: van der Waals 2D printing of Ga₂O₃ nanosheet from liquid metal gallium. Lower: chemical vapour phase reaction system for transforming Ga₂O₃ to GaPO₄ nanosheets. Credit: FLEET

The two-step process

1. Exfoliate self-limiting gallium oxide from the surface of liquid gallium made possible by the lack of affinity between oxide and the bulk of the liquid metal
2. 'Print' that film onto a substrate and transform it into 2-D GaPO₄ via exposure to phosphate vapour.

Applications

The new process is simple, scalable, low-temperature and cost effective, significantly expanding the range of [materials](#) available to industry at such scales and quality.

The process is suitable for the synthesis of free standing GaPO₄ nanosheets. The low temperature synthesis method is compatible with a variety of electronic device fabrication procedures, providing a route for the development of future 2-D piezoelectric materials.

This simple, industry-compatible procedure to print large surface area 2-D piezoelectric films onto any

substrate offers tremendous opportunities for the development of piezo-sensors and energy harvesters.

Piezoelectric materials

These are materials that can convert applied mechanical force or strain into electrical energy. Such materials form the basis of sound and pressure sensors, embedded devices that are powered by vibration or bending, and even the simple 'piezo' lighter used for gas BBQs and stovetops.

Piezoelectric materials can also take advantage of the small voltages generated by tiny mechanical displacement, vibration, bending or stretching to power miniaturised devices.

The material: Gallium Phosphate (GaPO₄)

Gallium phosphate is a quartz-like crystal used in piezoelectric applications such as pressure sensors since the late 1980s, and particularly valued in high-temperature applications. Because it does not naturally crystallise in a stratified structure and hence cannot be exfoliated using conventional methods, its use to date has been limited to applications that rely on carving the crystal from its bulk.

More information: Nitu Syed et al, Printing two-dimensional gallium phosphate out of liquid metal, *Nature Communications* (2018). [DOI: 10.1038/s41467-018-06124-1](https://doi.org/10.1038/s41467-018-06124-1)

Provided by FLEET

APA citation: Pushing 'print' on large-scale piezoelectric materials (2018, September 6) retrieved 15 October 2019 from <https://phys.org/news/2018-09-large-scale-piezoelectric-materials.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.