


Nanoparticles to treat snakebites

October 4 2018



"Synthetic polymer nanoparticles bind elapid snake venom toxins and inhibit venom-induced dermonecrosis." Credit: Shea, et al.

Venomous snakebites affect 2.5 million people, and annually cause more than 100,000 deaths and leave 400,000 individuals with permanent

physical and psychological trauma each year. Researchers reporting in *PLOS Neglected Tropical Diseases* have now described a new approach to treating snake bites, using nanoparticles to bind to venom toxins and prevent the spread of venom through the body.

The standard treatment for snakebites is the intravenous administration of IgG immune molecules that recognize venoms. However, such antivenom therapies must be administered quickly—and by trained healthcare workers—to be effective and are highly specific to particular venoms. There is an ongoing need for a snakebite treatment which can be used in a rural setting and works against the bites of diverse venomous snakes.

In the new work, Kenneth Shea, of the University of California, Irvine, and colleagues engineered [nanoparticles](#) that bind to and sequester an array of phospholipases A2 (PLA2) and three-finger toxin (3FTX) molecules found in Elapidae [snake](#) venoms. The Elapidae family is a large family of [venomous snakes](#) that includes cobras, kraits, tiger snakes, sea snakes, coral snakes and mambas, among other species. The researchers tested the ability of the nanoparticles to block *Naja nigricollis* (black-necked spitting cobra) [venom](#) in mice that received varying doses of the nanoparticles, injected into the skin. Envenomings by this snake in sub-Saharan Africa inflict serious cutaneous necrosis that may leave permanent tissue damage in the victims.

In experiments on isolated cells, the nanoparticles were found to sequester a wide range of Elapidae PLA and 3FTX venoms. Moreover, with collaborator José María Gutiérrez from the Instituto Clodomiro Picado (Universidad de Costa Rica), experiments with mice demonstrated that injections of the nanoparticles at the site of venom injection significantly mitigated the typical necrotic effects—including blistering and ulcers—of the spitting cobra venom. The nanoparticles administered to mice that had not received venom did not have an effect

on skin and did not induce systemic toxicity.

"The stable, low-cost nanoparticles have the potential to be administered subcutaneously immediately after the bite at the site of envenoming by this spitting cobra to halt or reduce the extent of local damage and mitigate the systemic distribution of toxins post-envenoming," the researchers say.

More information: O'Brien J, Lee SH, Gutiérrez JM, Shea KJ (2018) Engineered nanoparticles bind elapid snake venom toxins and inhibit venom-induced dermonecrosis. *PLOS Neglected Tropical Diseases* 12(10): e0006736. doi.org/10.1371/journal.pntd.0006736

Provided by Public Library of Science

Citation: Nanoparticles to treat snakebites (2018, October 4) retrieved 26 April 2024 from <https://phys.org/news/2018-10-nanoparticles-snakebites.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.