


# Small tweaks to nanoribbon edge structures can drastically alter heat conduction

1 November 2018



Tube-like atomic structures on the edges of phosphorous-based nanoribbons help keep this 2D material conductive during times of thermal or tensile stress. Credit: A\*STAR Institute of High Performance Computing

Black phosphorene, an unusual two-dimensional (2-D) compound, may offer strategies for avoiding damaging hot spots in nanoscale circuits, a new study from A\*STAR researchers has revealed.

While carbon atoms in graphene films sit perfectly flat on a surface, black [phosphorene](#) has a distinct wrinkled shape due to the bonding preferences of its phosphorus atoms. Investigations suggest that the zig-zag [structure](#) of this 2-D film enables it to behave differently in different orientations: it can transport electrons slowly along one axis, for example, but rapidly in the perpendicular direction.

Xiangjun Liu, from the A\*STAR Institute of High Performance Computing notes that black phosphorene's capabilities stretch beyond high-speed electronics. "It has optical, mechanical, and thermal properties that all exhibit directional

dependence," he says. "This stems from the unique puckered structure, which really impressed me when I first saw it."

Researchers theorize that excess heat could be drawn from nanoscale circuits using precisely controlled phonons—'quanta' or packets of vibrational energy—present in black phosphorene components.

Liu and co-workers focused their study on an important structural issue that can affect phosphorene thermal conductivity—the atom structures at the edges of the 2-D film. Researchers have predicted that phosphorene may either have a dimer [edge](#) formed by coupling of two terminal atoms, or an energetically stable tube-shaped edge created by multi-atom bonding.

To understand how different edge structures impact thermal conductivity, the A\*STAR team used computer algorithms that simulate phonon transfer across a temperature gradient. They modeled phosphorene films as narrow, rectangular nanoribbons and observed that heat conductivity was mostly uniform in pristine nanoribbons. The dimer and tube-terminated models, on the other hand, preferred to direct heat to central regions away from the edges.

Further calculations revealed that the tube-edged models produced different phonon excitations from the other phosphorene structures—they exhibited a new type of twisting movement, as well as geometric expansions and contractions referred to as breathing modes. These additional movements, explains Liu, are probably why tube edges work so well in scattering thermal vibrations and remaining cool.

Normally, 2-D materials have reduced ability to diffuse heat when strained laterally. Tube-terminated nanoribbons, however, have nearly constant thermal conductivity under strain—a

property that may be useful in future wearable technology.

"The strain-independent thermal behavior could benefit devices that need stable performance while being strained or twisted," says Liu. "Phosphorene has great potential for applications of soft and flexible electronics."

**More information:** Xiangjun Liu et al. Unusual Twisting Phonons and Breathing Modes in Tube-Terminated Phosphorene Nanoribbons and Their Effects on Thermal Conductivity, *Advanced Functional Materials* (2017). DOI: [10.1002/adfm.201702776](https://doi.org/10.1002/adfm.201702776)

Provided by Agency for Science, Technology and Research (A\*STAR), Singapore

APA citation: Small tweaks to nanoribbon edge structures can drastically alter heat conduction (2018, November 1) retrieved 25 June 2019 from <https://phys.org/news/2018-11-small-tweaks-nanoribbon-edge-dramatically.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*