


Smarter AI—machine learning without negative data

November 26 2018



Schematic showing positive data (apples) and a lack of negative data (bananas), with an illustration of the confidence of the apple data. Credit: RIKEN

A research team from the RIKEN Center for Advanced Intelligence Project (AIP) has successfully developed a new method for machine learning that allows an AI to make classifications without what is known as "negative data," a finding which could lead to wider application to a variety of classification tasks.

Classifying things is critical for our daily lives. For example, we have to detect spam mail, fake political news, as well as more mundane things such as objects or faces. When using AI, such tasks are based on "[classification](#) technology" in [machine learning](#)—having the computer learn using the boundary separating positive and negative data. For example, "positive" data would be photos including a happy face, and "negative" data photos that include a sad face. Once a classification boundary is learned, the computer can determine whether a certain data is positive or negative. The difficulty with this technology is that it requires both positive and negative data for the learning process, and negative data are not available in many cases (for instance, it is hard to find photos with the label, "this photo includes a sad face," since most people smile in front of a camera.)

In terms of real-life programs, when a retailer is trying to predict who will make a purchase, it can easily find data on customers who purchased from them (positive data), but it is basically impossible to obtain data on customers who did not purchase from them (negative data), since they do not have access to their competitors' data. Another example is a common task for app developers: they need to predict which users will continue using the app (positive) or stop (negative). However, when a user unsubscribes, the developers lose the user's data because they have to completely delete data regarding that user in accordance with the privacy policy to protect personal information.

According to lead author Takashi Ishida from RIKEN AIP, "Previous classification methods could not cope with the situation where negative data were not available, but we have made it possible for computers to learn with only positive data, as long as we have a confidence score for our positive data, constructed from information such as buying intention or the active rate of app [users](#). Using our new [method](#), we can let computers learn a classifier only from positive data equipped with confidence."

Ishida proposed, together with researcher Gang Niu from his group and team leader Masashi Sugiyama, that they let computers learn well by adding the confidence score, which mathematically corresponds to the probability whether the data belongs to a positive class or not. They succeeded in developing a method that can let computers learn a classification boundary only from positive data and information on its confidence (positive reliability) against classification problems of machine learning that divide data positively and negatively.

To see how well the system functioned, they used it on a set of photos that contains various labels of fashion items. For example, they chose "T-shirt," as the positive class and one other item, e.g., "sandal",, as the negative class. Then they attached a confidence score to the "T-shirt" photos. They found that without accessing the negative data (e.g., "sandal" photos), in some cases, their method was just as good as a method that involves using positive and negative data.

According to Ishida, "This discovery could expand the range of applications where classification technology can be used. Even in fields where machine learning has been actively used, our classification technology could be used in new situations where only positive data can be gathered due to data regulation or business constraints. In the near future, we hope to put our technology to use in various research fields, such as natural language processing, [computer](#) vision, robotics, and bioinformatics."

More information: Binary Classification from Positive-Confidence Data. *Neural Information Processing Systems* (NeurIPS 2018). papers.nips.cc/paper/7832-binary-classification-from-positive-confidence-data

Provided by RIKEN

Citation: Smarter AI—machine learning without negative data (2018, November 26) retrieved 21 September 2024 from <https://phys.org/news/2018-11-smarter-aimachine-negative.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.