


Steps rural communities can take to protect their water resources

November 26 2018, by Jeremias Mowo



Credit: AI-generated image ([disclaimer](#))

For rural communities in the highlands of eastern Africa, water for domestic use [is not](#) piped. They have to collect, or use it from springs or rivers and it's accessible to anyone. Increasingly, highland communities in Tanzania and Ethiopia [face challenges](#) when it comes to water quantity and quality.

Poor agricultural practices, deforestation and [land clearing](#) have led to soil erosion and excessive rainfall runoff which means underground water reservoirs are not recharged. Springs, once surrounded by trees and other vegetation, have [dried out](#) after land was cleared due to rising populations.

The water's quality is also compromised, due to cultivation, the use of pesticides, household waste and clothes washing. This [often](#) leads to high incidences of waterborne diseases.

Declining water quantity and quality means people have to travel further to find good water sources – wasting time and energy.

This issue can't be solved by individual households and weak enforcement of bylaws, due to corruption and weak leadership, mean it's not being managed by the state either.

As part of the [African highlands initiative](#), we carried out projects in three [areas](#) of Ethiopia and Tanzania to see if [collective action](#) – carried out by groups of people working together toward common goals – could work. These projects aimed to restore water resources and construct water points to give communities a clean water supply. In the past, [households](#) worked together, but these traditions have broken down over the years.

Two years later, the projects have been [a success](#) and there is increased water supply near homesteads. This has greatly saved time and improved the health of the communities.

Creating a strategy

Three areas, two in Ethiopia (Galesa and Gununo) and one in Tanzania (Baga) were selected for water source rehabilitation. This affected over

10,000 people in Tanzania alone. These areas had high population densities and were showing signs of water stress like decreasing crop and livestock production, fragmentation of land to small plots and increasing numbers of rural poor.

Research teams [analysed](#) historical trends – for instance how water quality has changed over time – using simple indicators like the time it takes to collect water, physical appearance and presence of pollutants in water.

A variety of farmers were then selected for interviews and they were asked about why the water sources had deteriorated and how they think the trend could be reversed.

For the three areas, a team of researchers and development workers came up with a strategy. We then implemented these same steps for all the areas:

- Created awareness on the situation and emphasised the need for collective action
- Set up water user committees – entrusted with the management of the water sources – to oversee the implementation of agreed plans
- Identified and consulted with different stakeholder groups. Each was allocated a role
- Developed by-laws with the participation of all stakeholders, and got them validated by communities to validate
- Developed the skills of water committees and local leaders on water source management
- Implemented agreed tasks
- Took part in monitoring and evaluating targets

As much as possible, local materials and local artisans were used. For

instance, local communities contributed labour, collecting stones and sand. They also managed the land around water sources to minimise the effect of contamination from soil erosion by planting water-friendly trees or vegetation around springs.

There were challenges. We had to convince donors to support domestic water supply because they believe it should be the role of a government ministry. Another challenge was that there were incidents where crops would get destroyed when people went through farms to collect water.

But these were overcome and the collective action approach was successful.

The results

[Five years later](#) about 84% of farmers confirmed that time for fetching water had gone down. And 82.9% responded that the prevalence of waterborne diseases had gone down.

At the Baga site in Tanzania, communities said that their time collecting water went down from an average of five hours to five minutes per day. During dry seasons women and children used to have to walk huge distances.

The number of patients treated for ailments related to unclean water [also](#) went down, from 77 in 2006 to 22 in 2007.

The collective action approach worked because the management structure was solid and the community were involved in enforcing the bylaws. For instance, if someone is destroying a [water](#) source, community members would take them to the authorities.

Collective action also increased confidence and trust among community

members so they are more willing to interact to address a common problem.

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

Provided by The Conversation

Citation: Steps rural communities can take to protect their water resources (2018, November 26) retrieved 22 September 2024 from <https://phys.org/news/2018-11-rural-resources.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.