

# Researchers achieve highest certified efficiency of organic solar cells to date

November 27 2018

---



Credit: CC0 Public Domain

Materials scientists at Friedrich-Alexander-Universität Erlangen-Nürnberg (FAU) have achieved a new record in the performance of organic, non-fullerene-based, single-junction solar cells. Using a series of complex optimisations, they achieved certified power conversion efficiency of 12.25 percent on a surface area measuring one square centimetre. This standardised surface area is the preliminary stage for

prototype manufacture. The results, achieved in conjunction with partners from the South China University of Technology (SCUT), have now been published in *Nature Energy*.

Organic photovoltaic systems have undergone rapid development during the last few years. In most cases, [organic solar cells](#) consist of two layers of semiconductors—one acts as the donor by supplying the electrons, and the second acts as an acceptor or electron conductor. In contrast to the silicon conventionally used, which must be drawn from a melt or precipitated in vacuum systems, the polymer layers in this system can be deposited from a solution directly on a supporting film. On the one hand, this means comparably low manufacturing costs, and on the other, these flexible modules can be used more easily than silicon solar cells in urban spaces. For a long time, fullerenes, which are carbon-based nanoparticles, were considered ideal acceptors, but the intrinsic losses of fullerene-based composites still severely limit their potential efficiency. The work carried out at FAU has thus resulted in a paradigm shift.

"With our [partners](#) in China, we have discovered a new organic molecule that absorbs more light than fullerenes that is also very durable," says Prof. Dr. Christoph Brabec, Chair of Materials Science (Materials in Electronics and Energy Technology) at FAU.

## Complex standardisation

The significant improvements in performance and durability mean the organic hybrid printed photovoltaics are now becoming interesting for commercial use. However, to develop practical prototypes, the technology must be transferred from laboratory dimensions of a few square millimetres to the standardised dimension of one square centimetre.

"Significant losses frequently occur during scaling," says Dr. Ning Li, a materials scientist at Prof. Brabec's Chair. During a project funded by

the German Research Foundation (DFG), Ning Li and his colleagues at SCUT in Guangzhou were able to significantly reduce these losses. In a complex process, they adjusted the light absorption, energy levels and microstructures of the organic semiconductors. The main focus of this optimisation was the compatibility of donor and acceptor, and the balance of short-circuit current density and open-circuit voltage, which are important prerequisites for a high output of electricity.

## Certified record efficiency

"I think the best way to describe our work is by imagining a box of Lego bricks," says Li. "Our partners in China inserted and adjusted single molecular groups into the polymer structure, and each of these groups influences a special characteristic that is important for the function of solar cells." This results in a [power conversion efficiency](#) of 12.25 percent—a new certified record for solution-based organic single-junction solar cells with a [surface area](#) of one square centimetre, where the acceptor does not consist of fullerenes. It is also interesting to note that the researchers succeeded in keeping the scaling losses to such low levels that the highest value in the lab on a small surface was only marginally under 13 percent. At the same time, they were able to demonstrate a stability relevant to production under simulated conditions such as temperature and sunlight.

The next step involves scaling up the model to module size at the Solar Factory of the Future at Energie Campus Nürnberg (EnCN) before development of practical prototypes begins.

**More information:** Baobing Fan et al, Fine-tuning of the chemical structure of photoactive materials for highly efficient organic photovoltaics, *Nature Energy* (2018). [DOI: 10.1038/s41560-018-0263-4](https://doi.org/10.1038/s41560-018-0263-4)

Provided by University of Erlangen-Nuremberg

Citation: Researchers achieve highest certified efficiency of organic solar cells to date (2018, November 27) retrieved 20 September 2024 from <https://phys.org/news/2018-11-fine-tuning-record-breaking.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.