


Bringing MOFs into the industrial light

November 30 2018, by Chris Still



Scanning Electron Microscopy image of a MOF glass. Credit: Shane Telfer, MacDiarmid Institute for Advanced Materials and Nanotechnology, Institute of Fundamental Sciences, Massey University, New Zealand

Researchers from Australia's national science agency, CSIRO, are part of an international collaboration which has made a major breakthrough that could change the way gases, liquids and chemicals are collected and filtered by industry.

The group's work has just been published in *Nature Communications*. They found it's possible to melt an advanced material called Metal-Organic Frameworks (MOFs) into a [thin coating](#) called "porous glass" while retaining much of MOFs amazing filtering characteristics.

This potentially opens up a new way to harness MOFs at an industrial scale.

Paper co-author Dr. Cara Doherty said "This research could help move MOFs into mainstream industry by sparking a new wave of industrial innovation and technological breakthrough. While there are more than 20,000 different types of MOFs, only seven are commercially available. We aim to change that."

Usually found in powder or pellet form, MOFs contain millions of microscopic sponge-like pores. So many in fact they have the largest surface area of any known substance. A single teaspoon of MOFs powder can have the same surface area as a football field. These microscopic pores can be used to store, separate, protect and sense molecules.

The researchers discovered that even when melted down into porous glass MOFs can retain 70 per cent of the pores and 60 per cent of the internal surface area they had as a powder.

"By using a thin, nano-porous MOFs coating instead of bulky pellets or powder we can potentially now use MOFs at a previously unimaginable scale", Dr. Doherty said.

A MOFs coating could, for instance, eventually turn [previous research](#) into using MOFs to filter drinking water or extract lithium into an industrial reality.

Current production methods for porous glass are complex, difficult and result in large pore sizes. This new research could also lead to a simpler way to produce better porous glass; a material found in electrodes, chromatography, medical devices, desiccants, coatings and membranes.

CSIRO co-authors Dr. Cara Doherty, Dr. Aaron Thornton and Dr. Anita Hill—Executive Director of CSIRO's Future Industries group—were among 20 researchers from around the world who contributed to the paper.

Dr. Hill said "It's great to see true international collaboration like this at work, especially to be working alongside colleagues like Dr. Thomas Bennett from University of Cambridge. As well as his work with Cambridge, Thomas also holds a visiting scientist position at CSIRO."

Dr. Bennett's involvement, and the collaboration between Australian and Massey University scientists on the project, was made possible by a New Zealand government MBIE Catalyst grant.

Eleven universities and research organisations from the United Kingdom, Denmark, Slovenia, China, Turkey, and New Zealand were involved in the research.

CSIRO is globally recognised for their work on MOFs, with more than 100 papers, 20 patents, numerous high profile awards and an extensive history of industry partnerships.

More information: Chao Zhou et al. Metal-organic framework glasses with permanent accessible porosity, *Nature Communications* (2018).

[DOI: 10.1038/s41467-018-07532-z](https://doi.org/10.1038/s41467-018-07532-z)

Provided by CSIRO

Citation: Bringing MOFs into the industrial light (2018, November 30) retrieved 19 September 2024 from <https://phys.org/news/2018-11-mofs-industrial.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.