

# Greenland ice loss quickening

7 December 2018



The temperature of Earth is rising owing to increased concentrations of greenhouse gases in the atmosphere. And, one of the most dramatic signs of climate change is the rate at which Earth's ice is melting. Satellites orbiting high above our heads are used to measure changes in the height of the ice and also to track how fast glaciers flow. Credit: European Space Agency

Using a 25-year record of ESA satellite data, recent research shows that the pace at which Greenland is losing ice is getting faster.

The research, published in *Earth and Planetary Science Letters*, uses radar altimetry data gathered by the ERS, Envisat and CryoSat missions between 1992 and 2016.


Radar altimeters record the height of the surface topography along the satellite's ground track. They precisely measure the height of ice, water and land by timing the interval between the transmission and reception of very short radar pulses.

Over time, these measurements are used, for example, to work out how the height – or elevation – of huge ice sheets is changing, which, in turn, can be used to monitor ice loss.

Although the [research team](#), working through ESA's Climate Change Initiative, found only modest elevation changes in the early 1990s, the

pace of thinning is clear in the satellite observations from 2003 onwards.

"A pattern of thinning appears to dominate a large fraction of the ice sheet margins at the beginning of the millennium, with individual [outlet glaciers](#) exhibiting large thinning rates," says Louise Sandberg Sørensen, the paper's lead author.



The image shows Greenland ice-sheet annual elevation change in 2015, but using a 25-year record of ESA satellite data, recent research shows that the pace at which Greenland is losing ice is getting faster. The research, published in *Earth and Planetary Science Letters*, uses radar altimetry data gathered by the ERS, Envisat and CryoSat missions between 1992 and 2016. Credit: ESA/Planetary Visions

"Over the full 25-year period, the general picture shows much larger volume losses are experienced in west, northwest and southeast basins of Greenland compared to the more steady-state

situations in the colder far north."

This, according to Dr. Sørensen, highlights the strong [climate](#) sensitivity of the outlet glaciers of Greenland as well as the ongoing need for reliable, long-term monitoring of climate variables that help to improve [climate models](#) and inform policy responses.

The Greenland ice sheet is an important cog in the global climate system with its meltwater, for example, influencing ocean circulation in the North Atlantic. Ongoing monitoring of the ice sheet is equally important in understanding its contribution to the extent and changing rate in sea-level rise.

The more recent Copernicus Sentinel-3 mission is also being used to monitor changing ice height.


modified Copernicus Sentinel data (2018), processed by ESA

ESA's Climate Change Initiative is a research programme that uses four decades of Earth observation archives established by ESA and its Member States to support the climate information requirements of the United Nations Framework Convention on Climate Change.

In addition to the Greenland ice sheet, the programme is developing long-term, consistent data products based on satellite derived observations for a further 22 essential climate variables required by the international science community to understand the Earth system.

**More information:** Louise Sandberg Sørensen et al. 25 years of elevation changes of the Greenland Ice Sheet from ERS, Envisat, and CryoSat-2 radar altimetry, *Earth and Planetary Science Letters* (2018). [DOI: 10.1016/j.epsl.2018.05.015](https://doi.org/10.1016/j.epsl.2018.05.015)

Provided by European Space Agency



Greenland ice height from Sentinel-3B. Credit: contains

APA citation: Greenland ice loss quickening (2018, December 7) retrieved 23 September 2019 from <https://phys.org/news/2018-12-greenland-ice-loss-quickening.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*