


# Team wins major supercomputer time to study the edge of fusion plasmas

December 17 2018

---



Credit: CC0 Public Domain

The U.S. Department of Energy (DOE) has awarded major computer hours on three leading supercomputers, including the world's fastest, to a team led by C.S. Chang of the DOE's Princeton Plasma Physics

Laboratory (PPPL). The team is addressing issues that must be resolved for successful operation of ITER, the international experiment under construction in France to demonstrate the feasibility of producing fusion energy—the power that drives the sun and stars—in a magnetically controlled fusion facility called a "tokamak."

The award from the DOE's Innovative and Novel Computational Impact on Theory and Experiment (INCITE) program totals 6.05 million node-hours on three Leadership Computing Facilities at Oakridge and Argonne National Laboratories, which are DOE Office of Science User Facilities. Each computer node has thousands of CPU cores, which are individual data processors. A single node-hour is thus equivalent to thousands of core-hours.

The allotment marks the second year of the [team](#)'s three-year INCITE designation, "and will enable our team to continue its study of the boundary physics of fusion plasmas for ITER," Chang said.

The PPPL deployment will be on these three supercomputers:

- Summit, the newly installed Oak Ridge supercomputer that is the world's most powerful, will provide 1.05 million node-hours.
- Titan, also at Oak Ridge, will provide 3.5 million node-hours.
- Theta, at Argonne National Laboratory, will provide 1.5 million node-hours.

The team will use the high-performance XGC1 particle code, developed and maintained at PPPL, to model the density of the peak heat-flux on the plates that will exhaust heat and energy from ITER during high-confinement [plasma](#) operations. In addition, the team will study the transition of the plasma from low-confinement to high-confinement that will enable ITER to produce 10 times more energy than it will use to heat the plasma.

A third step aims to show that what are called "resonant magnetic perturbations" (RMPs), the insertion of magnetic fields to reduce or eliminate instabilities at the edge of the plasma, reduces the density of the plasma far more than its temperature. Reduction of large amounts of both would lower plasma performance and impair fusion reactions.

Provided by Princeton Plasma Physics Laboratory

Citation: Team wins major supercomputer time to study the edge of fusion plasmas (2018, December 17) retrieved 20 September 2024 from <https://phys.org/news/2018-12-team-major-supercomputer-edge-fusion.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.