


Scientists discover new ways to twist and shift light

January 14 2019



Credit: CC0 Public Domain

The results from the National Physical Laboratory's (NPL) latest research in photonics could open doors to new quantum technologies and telecoms systems

Researchers from the National Physical Laboratory (NPL) have revealed unusual qualities in [light](#) that could lead the way to entirely new electronic devices and applications. Light is used extensively in electronics for telecommunications and computing. Optical fibres are just one common example of how light is used to facilitate telephone calls and internet connections across the globe.

As outlined today in *Physical Review Letters*, NPL researchers investigated how light can be controlled in an optical ring resonator, a tiny device that can store extremely high light intensities. Just as certain 'whispers' can travel around a whispering gallery and be heard the other side, in an optical ring resonator wavelengths of light resonate around the device.

The first-of-its-kind study uses optical ring resonators to identify the interplay of two types of spontaneous symmetry breaking. By analysing how the time between pulses of light varied and how the light is polarised, the team has been able reveal new ways to manipulate light.

For instance, usually light will obey what is known as 'time reversal symmetry', meaning that if time is reversed, light should travel back to its origin. However, as this research shows, at high light intensities this symmetry is broken within optical ring resonators.

Francois Copie, scientist on the project explains: "When seeding the ring resonator with short pulses, the circulating pulses within the [resonator](#) will either arrive before or after the seed [pulse](#) but never at the same time."

As a potential application, this could be used to combine and rearrange optical pulses e.g. in telecommunication networks.

The research also showed that light can spontaneously change its

polarisation in ring resonators. This is as if a guitar string was initially plucked in the vertical direction but suddenly starts to vibrate either in a clockwise or an anticlockwise circular motion.

This has not only improved our understanding of nonlinear dynamics in photonics, helping to guide the development of better optical ring resonators for future applications (such as in [atomic clocks](#) for precise time-keeping) but will help scientists to better understand how we can manipulate light in photonic circuits in sensors and quantum technologies.

Pascal Del'Haye, Senior Research Scientist, National Physical Laboratory (NPL) said: "Optics have become an important part of our telecoms networks and computing systems. Understanding how we can manipulate light in photonic circuits will help to unlock a whole host of new technologies, including better sensors and new quantum capabilities, which will become ever more important in our everyday lives."

More information: François Copie et al. Interplay of Polarization and Time-Reversal Symmetry Breaking in Synchronously Pumped Ring Resonators, *Physical Review Letters* (2019). [DOI: 10.1103/PhysRevLett.122.013905](#)

Provided by National Physical Laboratory

Citation: Scientists discover new ways to twist and shift light (2019, January 14) retrieved 22 September 2024 from <https://phys.org/news/2019-01-scientists-ways-shift.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.