


Pore size influences nature of complex nanostructures

15 January 2019, by Linda B. Glaser



The mere presence of void or empty spaces in porous two-dimensional molecules and materials leads to markedly different van der Waals interactions across a range of distances. Credit: Yan Yang and Robert DiStasio

Building at the nanoscale is not like building a house. Scientists often start with two-dimensional molecular layers and combine them to form complex three-dimensional architectures. And instead of nails and screws, these structures are joined together by the attractive van der Waals forces that exist between objects at the nanoscale.

Van der Waals forces are critical in constructing [materials](#) for energy storage, biochemical sensors and electronics, although they are weak when compared to chemical bonds. They also play a crucial role in [drug delivery systems](#), determining which drugs bind to the active sites in proteins.

In new research that could help inform development of new materials, Cornell chemists have found that the empty space ("pores") present

in two-dimensional molecular building blocks fundamentally changes the strength of these van der Waals forces, and can potentially alter the assembly of sophisticated nanostructures.

The findings represent an unexplored avenue toward governing the self-assembly of complex nanostructures from porous two-dimensional building blocks. "We hope that a more complete understanding of these forces will aid in the discovery and development of novel materials with diverse functionalities, targeted properties, and potentially novel applications," said Robert A. DiStasio Jr., assistant professor of chemistry in the College of Arts and Sciences.

In a paper titled "Influence of Pore Size on the van der Waals Interaction in Two-Dimensional Molecules and Materials," published Jan. 14 in *Physical Review Letters*, DiStasio, graduate student Yan Yang and postdoctoral associate Ka Un Lao describe a series of mathematical models that address the question of how void space fundamentally affects the attractive physical forces which occur over nanoscale distances.

In three prototypical model systems, the researchers found that particular pore sizes lead to unexpected behavior in the [physical laws](#) that govern van der Waals forces. Further, they write, this behavior "can be tuned by varying the relative size and shape of these void spaces ... [providing] new insight into the self-assembly and design of complex nanostructures."

While strong covalent bonds are responsible for the formation of two-dimensional molecular layers, van der Waals interactions provide the main attractive [force](#) between the layers. As such, van der Waals forces are largely responsible for the self-assembly of the complex three-dimensional nanostructures that make up many of the advanced materials in use today.

The researchers demonstrated their findings with numerous two-dimensional systems, including covalent organic frameworks, which are endowed with adjustable and potentially very large pores.

"I am surprised that the complicated relationship between void space and van der Waals forces could be rationalized through such simple models," said Yang. "In the same breath, I am really excited about our findings, as even [small changes](#) in the van der Waals forces can markedly impact the properties of molecules and materials."

More information: Yan Yang et al, Influence of Pore Size on the van der Waals Interaction in Two-Dimensional Molecules and Materials, *Physical Review Letters* (2019). [DOI: 10.1103/PhysRevLett.122.026001](#)

Provided by Cornell University

APA citation: Pore size influences nature of complex nanostructures (2019, January 15) retrieved 1 October 2020 from <https://phys.org/news/2019-01-pore-size-nature-complex-nanostructures.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.