

Ice Age survivors or stranded travellers? A new subterranean species discovered in Canada

February 5 2019



Felix Ossigi-Bonanno and Craig Wagnell at the entrance of the Kiku Pot cave after their successful discovery (Vancouver Island, British Columbia, Canada).
Credit: Felix Ossigi-Bonanno

The discovery of a new to science species of rare and primitive arthropod from the depths of a cave that was covered by a thick ice sheet until recently is certain to raise questions. In their study, published in the open-access journal *Subterranean Biology*, entomologist Alberto Sendra and local caver Craig Wagnell describe a new species of cave-dwelling, insect-like campodeid dipluran from the island of Vancouver (Canada) and discuss its origin.

According to the study, the dipluran's presence could either mean that terrestrial arthropods have indeed been able to survive within the deep subterranean habitats during the Last Glacial Maximum period some 26,500 years ago or it is the result of related species having dispersed to the area during the deglaciation, making their way from as far as Asia.

Contrary to most people's expectations, the new creature was discovered only an easy hike away from the nearest town of Port Alberni (Vancouver Island, British Columbia). There, cavers Craig Wagnell, Tawney Lem and Felix Ossigi-Bonanno from the Central Island Caving Club, together with Alberto Sendra, Alcala University (Spain), reported a remarkable, previously unknown species of dipluran from a couple of caves recently unearthed in the small limestone karstic area.

Named *Haplocampa wagnelli*, the new species pays tribute to co-author Craig Wagnell, "who has dedicated many years sampling and exploring in Vancouver Island caves".

Unlike most cave-adapted campodeid diplurans, whose bodies and appendages are characteristically elongated and slender—a "trademark" feature for strictly underground arthropods—the new species (*Haplocampa wagnelli*) has only slightly elongated antennae and legs and a thicker body. This is the reason why the researchers conclude that the species is not exclusively subterranean and is likely to also be present in soil habitats. On the other hand, its North American sister species seem

to be even less adapted to life underground.



The exit of the Kiku Pot cave (Vancouver Island, British Columbia, Canada).
Credit: Felix Ossig-Bonanno

Interestingly, the scientists note [close relationships](#) between the genus (Haplocampa) of the new species and three others known from the two sides of the north Pacific Ocean: Pacificampa (Japanese Islands and the Korean Peninsula), Metriocampa (Siberia) and Eumesocampa (North America). According to the team, this is evidence for dispersal events where populations would cross over the old Bering Land Bridge, which used to connect America and Asia.

Furthermore, the new species is also one of the most northerly cave-adapted dipluran [species](#), found at a latitude of 49° north. Some 26,500

years ago, its modern habitat would have been located underneath the Cordilleran Ice Sheet, part of the Late Wisconsinan North American ice sheet complex.

More information: Alberto Sendra et al, The cave-dwelling dipluran (Diplura, Campodeidae) on the edge of the Last Glacial Maximum in Vancouver Island caves, North America (Canada), *Subterranean Biology* (2019). [DOI: 10.3897/subtbiol.29.31467](https://doi.org/10.3897/subtbiol.29.31467)

Provided by Pensoft Publishers

Citation: Ice Age survivors or stranded travellers? A new subterranean species discovered in Canada (2019, February 5) retrieved 19 September 2024 from <https://phys.org/news/2019-02-ice-age-survivors-stranded-subterranean.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.