


# Hubble and Gaia accurately weigh the Milky Way

7 March 2019



This artist's impression shows a computer generated model of the Milky Way and the accurate positions of the globular clusters used in this study surrounding it. Credit: ESA/Hubble, NASA, L. Calçada

In a striking example of multi-mission astronomy, measurements from the NASA/ESA Hubble Space Telescope and the ESA Gaia mission have been combined to improve the estimate of the mass of our home galaxy the Milky Way: 1.5 trillion solar masses.

The [mass](#) of the Milky Way is one of the most fundamental measurements astronomers can make about our galactic home. However, despite decades of intense effort, even the best available estimates of the Milky Way's mass disagree wildly. Now, by combining [new data](#) from the European Space Agency (ESA) Gaia mission with observations made with the NASA/ESA Hubble Space Telescope, astronomers have found that the Milky Way weighs in at about 1.5 trillion [solar masses](#) within a radius of 129 000 light-years from the galactic centre.

Previous estimates of the mass of the Milky way ranged from 500 billion to 3 trillion times the mass of the Sun. This huge uncertainty arose primarily

from the different methods used for measuring the distribution of dark matter—which makes up about 90% of the mass of the galaxy.

"We just can't detect dark matter directly," explains Laura Watkins (European Southern Observatory, Germany), who led the team performing the analysis. "That's what leads to the present uncertainty in the Milky Way's mass—you can't measure accurately what you can't see!"

Given the elusive nature of the dark matter, the team had to use a clever method to weigh the Milky Way, which relied on measuring the velocities of globular clusters—dense star clusters that orbit the spiral disc of the galaxy at great distances.

"The more massive a galaxy, the faster its clusters move under the pull of its gravity" explains N. Wyn Evans (University of Cambridge, UK). "Most previous measurements have found the speed at which a [cluster](#) is approaching or receding from Earth, that is the velocity along our line of sight. However, we were able to also measure the sideways motion of the clusters, from which the total velocity, and consequently the galactic mass, can be calculated."

The group used [Gaia's second data release](#) as a basis for their study. Gaia was designed to create a precise three-dimensional map of astronomical objects throughout the Milky Way and to track their motions. Its second data release includes measurements of globular clusters as far as 65 000 light-years from Earth.

"Global clusters extend out to a great distance, so they are considered the best tracers astronomers use to measure the mass of our galaxy" said Tony Sohn (Space Telescope Science Institute, USA), who led the Hubble measurements.

The team combined these data with Hubble's unparalleled sensitivity and observational legacy.

Observations from Hubble allowed faint and distant globular clusters, as far as 130 000 light-years from Earth, to be added to the study. As Hubble has been observing some of these objects for a decade, it was possible to accurately track the velocities of these clusters as well.

"We were lucky to have such a great combination of data," explained Roeland P. van der Marel (Space Telescope Science Institute, USA). "By combining Gaia's measurements of 34 globular clusters with measurements of 12 more distant clusters from Hubble, we could pin down the Milky Way's mass in a way that would be impossible without these two space telescopes."

Until now, not knowing the precise mass of the Milky Way has presented a problem for attempts to answer a lot of cosmological questions. The [dark matter](#) content of a galaxy and its distribution are intrinsically linked to the formation and growth of structures in the Universe. Accurately determining the mass for the Milky Way gives us a clearer understanding of where our galaxy sits in a cosmological context.

**More information:** Paper:

[ui.adsabs.harvard.edu/#abs/2018arXiv180411348W](https://ui.adsabs.harvard.edu/#abs/2018arXiv180411348W)

Provided by ESA/Hubble Information Centre

APA citation: Hubble and Gaia accurately weigh the Milky Way (2019, March 7) retrieved 22 June 2021 from <https://phys.org/news/2019-03-hubble-gaia-accurately-milky.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*