


3-D optical biopsies within reach thanks to advance in light field technology

26 April 2019



Modal structure in optical fibre bundles captures light field information. Credit: Marco Capelli, RMIT University

Researchers have shown that existing optical fibre technology could be used to produce microscopic 3-D images of tissue inside the body, paving the way towards 3-D optical biopsies.

Unlike normal biopsies where tissue is harvested and sent off to a lab for analysis, optical biopsies enable clinicians to examine living tissue within the body in [real-time](#).

This minimally-invasive approach uses ultra-thin microendoscopes to peer inside the body for diagnosis or during surgery, but normally produces only two-dimensional images.

Research led by RMIT University in Melbourne, Australia, has now revealed the 3-D potential of the existing microendoscope technology.

Published in *Science Advances*, the development is a crucial first step towards 3-D optical biopsies, to improve diagnosis and precision surgery.

Lead author Dr. Antony Orth said the new technique uses a light field imaging approach to produce microscopic images in [stereo vision](#),

similar to the 3-D movies that you watch wearing 3-D glasses.

"Stereo vision is the natural format for [human vision](#), where we look at an object from two different viewpoints and process these in our brains to perceive depth," said Orth, a Research Fellow in the RMIT node of the ARC Centre of Excellence for Nanoscale BioPhotonics (CNBP).

"We've shown it's possible to do something similar with the thousands of tiny optical fibres in a microendoscope.


"It turns out these optical fibres naturally capture images from multiple perspectives, giving us depth perception at the microscale.

"Our approach can process all those microscopic images and combine the viewpoints to deliver a depth-rendered visualization of the tissue being examined—an image in three dimensions."


How it works

The research revealed that optical fibre bundles transmit 3-D information in the form of a light field.

The challenge for the researchers was then to harness the recorded information, unscramble it and produce an image that makes sense.



Dr. Antony Orth holding an ultra-thin microendoscope used in the study, which revealed the 3D imaging potential of the existing technology. Credit: RMIT University



Modal structure in optical fiber bundles captures light field information, enabling 3D visualization. Credit: Anthony Orth, RMIT University

Their new technique not only overcomes those challenges, it works even when the optical fibre bends and flexes—essential for clinical use in the human body.

The approach draws on principles of light field imaging, where traditionally, multiple cameras look at the same scene from slightly different perspectives.

Light field imaging systems measure the angle of the rays hitting each camera, recording information about the angular distribution of light to create a "multi-viewpoint image".

But how do you record this angular information through an optical fibre?

"The key observation we made is that the angular distribution of light is subtly hidden in the details of how these optical fibre bundles transmit light," Orth said.

"The fibres essentially 'remember' how light was initially sent in—the pattern of light at the other side depends on the angle at which light entered the fibre."

With this in mind, RMIT researchers and colleagues developed a mathematical framework to relate the output patterns to the light ray angle.

"By measuring the angle of the rays coming into the system, we can figure out the 3-D structure of a microscopic fluorescent sample using just the information in a single image," Professor Brant Gibson, Chief Investigator and Deputy Director of the CNBP, said.

"So that optical fibre bundle acts like a miniaturised version of a light field camera.

"The exciting thing is that our approach is fully compatible with the optical [fibre](#) bundles that are already in clinical use, so it's possible that 3-D optical biopsies could be a reality sooner rather than later."

In addition to medical applications, the ultra-slim [light](#) field imaging device could potentially be used for in vivo 3-D fluorescence microscopy in biological research.

More information: "Optical fiber bundles: Ultrathin light field imaging probes" *Science*

Advances (2019). DOI: 10.1126/sciadv.aav1555 ,
advances.sciencemag.org/content/5/4/eaav1555

Provided by RMIT University

APA citation: 3-D optical biopsies within reach thanks to advance in light field technology (2019, April 26)
retrieved 4 December 2020 from <https://phys.org/news/2019-04-d-optical-biopsies-advance-field.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.