

# Scientists unearth 'most bird-like' dinosaur ever found

14 May 2019, by Patrick Galey



The illustration shows the wing of *Alcomonavis poeschli* as it was found in the limestone slab. *Alcomonavis poeschli* is the second known specimen of a volant bird from the Jurassic period. Credit: Ludwig Maximilian University of Munich

Researchers in Germany have unearthed a new species of flying dinosaur that flapped its wings like a raven and could hold vital clues as to how modern-day birds evolved from their reptilian ancestors.

For more than a century and a half since its discovery in 1861, *Archaeopteryx*—a small feathered dinosaur around the size of a crow that lived in marshland around 150 million years ago—was widely considered to be the oldest flying bird.

Palaeontologists from Ludwig-Maximilians University (LMU) in Munich and the University of Fribourg examined rock formations in the German region of Bavaria, home to nearly all known *Archaeopteryx* specimens.

They came across a petrified wing, which the team

initially assumed to be the same species. They soon found several differences, however.

"There are similarities, but after detailed comparisons with *Archaeopteryx* and other, geologically younger birds, its fossil remains suggested that we were dealing with a somewhat more derived bird," said lead study author Oliver Rauhut from LMU's Department of Earth and Environmental Sciences.

They called the new bird-like dinosaur *Alcomonavis poeschli*—from the old Celtic word for a nearby river and the scientist who discovered the fossil, excavation leader Roland Poeschl.

The study, published in the journal *eLife sciences*, said *Alcomonavis poeschli* was "the most bird-like bird discovered from the Jurassic".

As well as being significantly larger than *Archaeopteryx*, the new specimen had more notches in its wing bones that pointed to muscles which would have allowed it to actively flap its wings.

Significantly, this "flapping" trait found in *Alcomonavis poeschli* is present in more recent birds, but not in *Archaeopteryx*.

"This suggests that the diversity of birds in the late Jurassic era was greater than previously thought," Rauhut said.

The discovery is likely to fuel debate among dinosaur experts over whether birds and dinosaurs developed the ability to flap their wings from earlier gliding species.

"Its adaptation shows that the evolution of flight must have progressed relatively quickly," said Christian Foth, from the University of Fribourg, and a co-author of the research.

**More information:** Oliver WM Rauhut et al. A non-archaeopterygid avialan theropod from the Late Jurassic of southern Germany, *eLife* (2019). [DOI: 10.7554/eLife.43789](https://doi.org/10.7554/eLife.43789)

© 2019 AFP

APA citation: Scientists unearth 'most bird-like' dinosaur ever found (2019, May 14) retrieved 2 March 2021 from <https://phys.org/news/2019-05-archaeopteryx-company.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*