


Accelerating quantum technologies with materials processing at the atomic scale

May 14 2019



Laser writing of individual nitrogen-vacancy defects in diamond with near-unity yield. Credit: Oxford University

'Quantum technologies' utilise the unique phenomena of quantum superposition and entanglement to encode and process information, with potentially profound benefits to a wide range of information technologies from communications to sensing and computing.

However a major challenge in developing these technologies is that the [quantum](#) phenomena are very fragile, and only a handful of physical systems have been identified in which they survive long enough and are sufficiently controllable to be useful. Atomic defects in materials such as diamond are one such system, but a lack of techniques for fabricating and engineering crystal defects at the atomic scale has limited progress to date.

A team of scientists demonstrate, in a paper published in *Optica*, the success of the new method to create particular defects in [diamonds](#) known as nitrogen-vacancy (NV) colour centres. These comprise a nitrogen impurity in the diamond (carbon) lattice located adjacent to an empty lattice site or vacancy. The NV centres are created by focusing a sequence of ultrafast laser pulses into the diamond, the first of which has an energy high enough to generate vacancies at the centre of the laser focus, with subsequent pulses at a lower energy to mobilise the vacancies until one of them binds to a nitrogen impurity and forms the required complex.

The new research was carried out by a team led by Prof Jason Smith in the Department of Materials, University of Oxford, and Dr. Patrick Salter and Prof Martin Booth in the Dept of Engineering Science, University of Oxford, in collaboration with colleagues at the University of Warwick. It took place within the research programme of NQIT, the Quantum Computing Technology Hub of the UK Quantum Technologies Programme, with support from DeBeers UK who supplied the diamond sample.

The scientists' new method involves a sensitive fluorescence monitor being employed to detect light emitted from the focal region, so that the process can be actively controlled in response to the observed signal. By combining [local control](#) and feedback, the new method facilitates the production of arrays of single NV centres with exactly one colour centre

at each site—a key capability in building scalable technologies. It also allows precise positioning of the defects, important for the engineering of integrated devices. The rapid single-step process is easily automated with each NV centre taking only seconds to create.

Prof Martin Booth says: 'Colour centres in diamond offer a very exciting platform for developing compact and robust [quantum technologies](#), and this new process is a potential game-changer in the engineering of the required materials. There is still more work to do in optimising the process, but hopefully this step will help to accelerate delivery of these technologies.'

The scientists believe that this method might ultimately be used to fabricate centimetre-sized diamond chips containing 100,000 or more NV centres as a route towards the 'holy grail' of quantum technologies, a universal fault-tolerant quantum computer.

Prof Jason Smith says: 'The first quantum computers are now starting to emerge but these machines, impressive as they are, only scratch the surface of what might be achieved and the platforms being used may not be sufficiently scalable to realise the full power that quantum computing has to offer. Diamond colour centres may provide a solution to this problem by packing high densities of qubits onto a solid state chip, which could be entangled with each other using optical methods to form the heart of a quantum computer. The ability to write NV centres into diamond with a high degree of control is an essential first step towards these and other devices.'

More information: Yu-Chen Chen et al, Laser writing of individual nitrogen-vacancy defects in diamond with near-unity yield, *Optica* (2019). [DOI: 10.1364/OPTICA.6.000662](https://doi.org/10.1364/OPTICA.6.000662)

Provided by University of Oxford

Citation: Accelerating quantum technologies with materials processing at the atomic scale (2019, May 14) retrieved 22 September 2024 from <https://phys.org/news/2019-05-quantum-technologies-materials-atomic-scale.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.