


A new iron-based superconductor stabilized by inter-block charger transfer

16 May 2019



Temperature dependence of electrical resistivity for the $\text{BaTh}_2\text{Fe}_4\text{As}_4(\text{N}_{0.7}\text{O}_{0.3})_2$ sample, indicating a superconducting transition at 30 K. The zero-resistance temperature is 22 K. The inset shows the crystal structure projected on the ac plane. The two constituent structural blocks, named "1111" and "122" respectively, are marked, and the inter-block charge transfer is shown by the arrow. Credit: ©Science China Press

Iron-based superconductors (IBSCs) have attracted sustained research attention over the past decade, partly because new IBSCs were discovered one after another in the earlier years. At present, however, exploration of IBSCs becomes more and more challenging. A research team from Zhejiang University developed a structural design strategy for exploration from which they succeeded in finding a series of hole-doped IBSCs with double FeAs layers in recent years. Nevertheless, the electron-doped analogue has not been realized until now.

The newly discovered electron-doped IBSC is $\text{BaTh}_2\text{Fe}_4\text{As}_4(\text{N}_{0.7}\text{O}_{0.3})_2$, an intergrowth compound of un-doped BaFe_2As_2 and electron-doped $\text{ThFeAsN}_{0.7}\text{O}_{0.3}$ (see the inset of Figure 1). The new superconductor could be synthesized only

when nitrogen is partially replaced with oxygen as in the case of $\text{BaTh}_2\text{Fe}_4\text{As}_4(\text{N}_{0.7}\text{O}_{0.3})_2$.

Namely, the oxygen-free phase, $\text{BaTh}_2\text{Fe}_4\text{As}_4\text{N}_2$, could not be prepared due to lattice matching. The realized synthetic process is actually a redox reaction, $\text{BaFe}_2\text{As}_2 + 2\text{ThFeAsN}_{0.7}\text{O}_{0.3} = \text{BaTh}_2\text{Fe}_4\text{As}_4(\text{N}_{0.7}\text{O}_{0.3})_2$, which indicates an essential role of inter-block charge transfer for stabilizing the intergrowth structure. Note that, while both the constituent structural blocks share identical iron atoms, they contain crystallographically different arsenic atoms, as a consequence of the charge transfer.

Although the new superconductor is isostructural to the previous "12442-type" ones, it shows contrasting structural and [physical properties](#). First, the structural details in the FeAs layers are different from those of hole-doped 12442-type IBSCs, but similar to most electron-doped IBSCs. Second, the Hall-effect measurement shows negative Hall coefficient in the whole temperature range, and the Hall coefficient values are consistent with the electron doping level due to the oxygen substitution. Third, the superconducting properties such as the upper critical fields and specific-heat jump are close to most electron-doped IBSCs.

The onset resistive transition temperature of the new double-FeAs-layer IBSC is 30 K, and the zero-resistance temperature is 22 K. Correspondingly, the [magnetic susceptibility](#) and specific-heat data suggest two transitions, and the bulk superconductivity appears at 22 K. The result is in contrast with the single-FeAs-layer counterpart, $\text{ThFeAsN}_{0.85}\text{O}_{0.15}$, with the same doping level. The latter does not show superconductivity above 1.8 K.

The essential role of inter-block charge transfer demonstrated seems to be insightful, which could be helpful for the exploration of broader layered materials beyond the layered IBSCs.

More information: Ye-Ting Shao et al,
BaTh₂Fe₄As₄(N_{0.7}O_{0.3})₂: An iron-based
superconductor stabilized by inter-block-layer
charge transfer, *Science China Materials* (2019).
[DOI: 10.1007/s40843-019-9438-7](https://doi.org/10.1007/s40843-019-9438-7)

Provided by Science China Press

APA citation: A new iron-based superconductor stabilized by inter-block charger transfer (2019, May 16)
retrieved 7 December 2021 from <https://phys.org/news/2019-05-iron-based-superconductor-stabilized-inter-block-charger.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.