

Study shows penguins attract seabirds when they corral fish





Dive chronology of penguin SP1801: (a) entire foraging trip recorded, (b) enlarged timeslot demarcated as vertical dotted lines in (a), and (c) images from AVRs indexed to time. The number of birds (n birds) in flight and at the surface are shown: Cape cormorants (CC, grey), sooty shearwaters (SS, black) and



African penguins (AP, blue). Prey captures by volant seabirds (inter catch, tern = swift tern) and by African penguins (AP catch for schooling and single fish) are superimposed on the dive profile. Images show CC (left panel) and SS (right panel) prey pursuits/catches: sooty shearwaters are located at terminal ends of bubble trails foraging at the periphery of the fish schools. Confirmation of species identification of volant seabirds confirmed from images in sequence not displayed. Credit: *Royal Society Open Science* (2019).

A pair of researchers with Mandela University has found that when African penguins work together to corral fish, they attract seabirds intent on taking advantage of the suddenly available prey. In their paper published in the journal *Royal Society Open Science*, Alistair McInnes and Pierre Pistorius describe their multi-year study of African penguins and what they learned about them.

African penguins are the only penguins that live off the shores of Africa, and they are endangered—population levels are 70 percent lower than they were just 15 years ago. Prior studies have shown that the primary reason for their decline is a decrease in their <u>food supply</u>—sardines and anchovies and other small fish. Humans use nets to catch the same fish, leaving little for the penguins to eat. In this new effort, the researchers sought to learn more about the eating habits of the penguins in hopes of finding a way to save them from extinction.

To study the penguins, which are a type of diving bird, the researchers taped small cameras to their backs during the breeding seasons over the years 2015 to 2018. During breeding season, penguin parents take turns watching the young while the other goes foraging. This behavior made it relatively easy for the researchers to capture and affix and remove cameras.

The researchers report that among other things, they found that the



penguins routinely dove as deep as 30 meters when seeking prey. They also engaged with one another in corralling, a behavior often seen in dolphins, in which the penguins work together to force a school of fish to bunch closer together while also moving them closer to the shore. Doing so makes it far easier to catch a lot of fish in a very short amount of time. The researchers also report that they found that the corralling behavior of the diving birds attracted the attention of seabirds who were eager to catch and eat some of the fish the penguins drove to shallow water. The researchers noted that larger groups of penguins working together attracted larger numbers of seabirds. They suggest the efforts by the penguins may play a role in the survival abilities of some seabirds.

More information: Up for grabs: prey herding by penguins facilitates shallow foraging by volant seabirds*Royal Society Open Science* (2019). royalsocietypublishing.org/doi/10.1098/rsos.190333

© 2019 Science X Network

Citation: Study shows penguins attract seabirds when they corral fish (2019, June 5) retrieved 21 September 2024 from <u>https://phys.org/news/2019-06-penguins-seabirds-corral-fish.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.