

Inexpensive, simple fabrication method poised to expand microlens applications

June 12 2019

A growing number of applications, including smartphone cameras, depend on microlenses to boost performance. A newly developed technology, called laser catapulting, could make it much easier and less expensive to fabricate these miniaturized lenses with customized properties, such as shape or focusing power.

In The Optical Society (OSA) journal *Optical Materials Express*, researchers from Istituto Italiano di Tecnologia in Italy describe their new laser-additive method for creating microlenses using a single laser pulse. The technology even allows microlenses and microlens arrays to be fabricated directly on cameras or solar cells.

Microlenses improve the performance of cameras and solar cells by concentrating light into the most sensitive areas of the devices. For example, they are widely used in the newest [smartphone cameras](#) to increase sensitivity and imaging speed in low-light conditions.

"Our fabrication approach simplifies the production of lenses while allowing more variety in the design and more flexibility in the environments where microlenses can be used," said research team leader Martí Duocastella. "In addition to completely new applications, this method could lead to new cameras that acquire video under low light conditions, [solar cells](#) with improved efficiency and microscopes that are better at capturing fast processes."

Catapulting with light

Although micro-optics are commercially available, they can be prohibitively expensive and hard to add to existing devices. Even with traditional microlens fabrication methods such as photolithography, it is difficult to integrate lenses or to make very densely packed microlens arrays.

The researchers developed catapulting to overcome these limitations. The method uses a laser pulse to remove and catapult a micro disk from a thin polymeric film and drop it onto a defined region of interest. The polymer in the microdisk is then heated so it can thermally reflow, allowing capillary forces—the same ones that make water droplets spherical—to shape the microdisk into a round lens. Changing the shape of the laser beam allows fabrication of microlenses with different focusing properties or shapes, such as rectangular, triangular or circular.

"Laser catapulting connects the dots between existing laser-based fabrication methods to solve problems with current microlens fabrication strategies," said Duocastella. "It fills the gap between the growing number of applications that require microlenses and the technologies capable of generating on-demand customized micro-optics."

After studying the relationship between the laser beam shape and the resulting microdisks, the researchers explored the reproducibility, precision and accuracy of their technique. Their analysis showed that the method could be used to reproducibly produce microlenses with radiuses between 50 and 250 microns and very high smoothness. Measuring the optical properties of the microlenses and the light collection capabilities of microlens arrays made with the technique showed that these micro-optics exhibited diffraction-limited performance, meaning that they were as good as theory allows.

The researchers say that laser catapulting could be combined with fast laser beam shaping methods for on-the-fly control of optical performance and shape of individual microlenses within an array.

Capturing fast biological processes

The researchers plan to use laser catapulting to fabricate microlenses on top of photodetector arrays so they can develop a high-speed 3-D microscopy system to characterize very fast biological processes, such as neuronal communications or virus trafficking. The microlenses will increase the light-collecting efficiency of the photodetectors and thus decrease imaging time.

"These novel photodetector arrays offer important advantages compared to confocal microscopy but can't collect as much light as traditional single point detectors," said Duocastella. "We believe that microlenses, and [laser](#) catapulting in particular, will help improve the performance of these photodetector arrays and expand their use among the microscopy community."

More information: Salvatore Surdo et al, Geometry-controllable micro-optics with laser catapulting, *Optical Materials Express* (2019). [DOI: 10.1364/OME.9.002892](https://doi.org/10.1364/OME.9.002892)

Provided by The Optical Society

Citation: Inexpensive, simple fabrication method poised to expand microlens applications (2019, June 12) retrieved 26 April 2024 from <https://phys.org/news/2019-06-inexpensive-simple-fabrication-method-poised.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.