


New nanosheet coating could replace nonrecyclable metalized films in food packaging

June 13 2019, by Bob Yirka



High aspect ratio LDH nanosheets. a Schematic showing (I) calcination (interlayer water and anions are removed by calcination) and (II) reconstruction process and the preferential growth inhibition in a high dielectric constant

solution: thickness growth is much slower than the diameter growth, giving high aspect ratio nanosheets. TEM image (b), AFM image (c) and height profiles (d) of the LDH NS reconstructed in glycine solution. The inset in TEM image represents the diameters measured by TEM. e Mean aspect ratio of the original LDH, LDH NS and control LDH reconstructed in water (Water-LDH). Aspect ratio was calculated by diameter divided by thickness of individual particles from AFM measurements of samples at more than three different spots. Error bar represents the standard deviation from more than 30 measurements. f Estimation of crystallite sizes calculated from Scherrer equation (Eq. (2)) confirming the significant growth inhibition along the c-axis. The red box with dotted line and the blue circle with dotted line represent the estimation of the diameter growth and thickness growth with reaction time. Error bar represents standard error in the curve fitting. g IR spectra: formation of hydrogen bonding evidenced by a red shift of the asymmetric vibration of COO⁻ group of glycine and that part of the group is shifted to orthogonal position ($\nu_{as\perp}(\text{COO}^-) = 1557 \text{ cm}^{-1}$) during reconstruction in glycine solution. The black lines are assigned to the asymmetric vibration of COO⁻ group and the red line is attributed to the shift to orthogonal position of part of the group. Credit: *Nature Communications* (2019). DOI: 10.1038/s41467-019-10362-2

A team of researchers at the University of Oxford, in the U.K., has developed a new type of nanosheet coating for food packaging that could replace the metalized films currently in use. In their paper published in the journal *Nature Communications*, the group describes their process and hopes that their product might make a whole class of food packing more recyclable.

The shiny silver coating often used to keep packaged foods fresh is most often seen on the insides of bags of potato chips and candy bars. What many people may not realize is that the familiar silver coating makes such [packaging](#) very difficult to recycle because the [metal film](#) must be removed from the [plastic](#), which means most of it winds up in a landfill. In this new effort, the researchers have come up with a replacement for

the metalized films that are fully and easily recyclable.

The new film was made using an inexpensive process that produces thin films made from water and amino acids. More specifically, they were made by first creating a [nanosheet](#) of non-toxic synthetic clays. The nanosheet was then stabilized using amino acids. The resultant films are transparent, and most importantly, do not allow gases or water vapor to pass through. In practice, the films would be applied to a plastic, such as those already used in packaging, such as polyethylene terephthalate—the same kind of plastic also used in [water](#) bottles. The researchers have already tested the film by exposing it to several gases currently in use in [food](#) packing and found it to be approximately 50 percent less permeable. They also put it through physical abuse tests to make sure it could stand up to the processes that packaged foods must endure. They report that it withstood such abuse as well as the metalized films currently in use.

The researchers note that because the films are synthetic, their final makeup is in the control of companies that use it as a packing replacement. But they also acknowledge much more testing will need to be done with the films before companies would be willing to switch over to using it instead of the more familiar metalized films.

More information: Jingfang Yu et al. High gas barrier coating using non-toxic nanosheet dispersions for flexible food packaging film, *Nature Communications* (2019). [DOI: 10.1038/s41467-019-10362-2](https://doi.org/10.1038/s41467-019-10362-2)

© 2019 Science X Network

Citation: New nanosheet coating could replace nonrecyclable metalized films in food packaging (2019, June 13) retrieved 20 September 2024 from <https://phys.org/news/2019-06-nanosheet-coating-nonrecyclable-metalized-food.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.