


Polymer-coated gold nanospheres do not impair the innate immune function of human B lymphocytes

28 June 2019



B lymphocytes (blue and green) and gold nanoparticles (red) measured with dark field hyperspectral imaging coupled with fluorescent detection. Credit: UNIGE

Over the past 20 years, the use of nanoparticles in medicine has steadily increased. However, their safety and effect on the human immune system remains an important concern. By testing a variety of gold nanoparticles, researchers at the University of Geneva (UNIGE) and collaborators are providing first evidence of their impact upon human B lymphocytes—the immune cells responsible for antibody production. The use of these nanoparticles is expected to improve the efficacy of pharmaceutical products while limiting potential adverse effects.

These results, published in the journal *ACS Nano*, could lead to the development of more targeted and better tolerated therapies, particularly in the field of oncology. The methodology also makes it possible to test the biocompatibility of any nanoparticle at an early stage in the development

of a new nanodrug.

Responsible for the production of antibodies, B lymphocytes are a crucial part of the [human immune system](#), and therefore an interesting target for the development of preventive and therapeutic vaccines. However, to achieve their goal, vaccines must reach B lymphocytes quickly without being destroyed, making the use of nanoparticles particularly interesting.

"Nanoparticles can form a protective vehicle for vaccines—or other drugs—to specifically deliver them where they can be most effective, while sparing other cells," explains Carole Bourquin, a professor at the UNIGE's Faculties of Medicine and Science, who co-led this study. "This targeting also allows the use of a lower dose of immunostimulant while maintaining an effective immune response. It increases its efficacy while reducing side-effects, provided that the nanoparticles are harmless to all immune cells."

Similar studies have already been conducted for other [immune cells](#) such as macrophages, which seek out and interact with nanoparticles, but never before for the smaller, and more difficult to handle, B lymphocytes.

Gold is an ideal material

Gold is an excellent candidate for nanomedicine because of its particular physico-chemical properties. Well tolerated by the body and easily malleable, this metal absorbs light and then releases heat, a property that can be exploited in oncology.

"Gold nanoparticles can be used to target tumours. When exposed to a light source, the nanoparticles release heat and destroy neighbouring cancer cells.

We could also attach a drug to the surface of the nanoparticles to be delivered to a specific location," explains UNIGE researcher Sandra Ho?evan. "To test their safety and the best formula for medical use, we have created [gold](#) spheres with or without a [polymer coating](#), as well as gold rods to explore the effects of coating and shape. We then exposed human B lymphocytes to our particles for 24 hours to examine the activation of the immune response."

By following activation markers expressed on the surfaces of B cells, the scientists were able to determine how much their nanoparticles activated or inhibited the immune response. While none of the nanoparticles tested demonstrated adverse effects, their influence on the immune response differed depending on their shape and the presence of a polymer surface coating.

"Surface properties, as well as nanoparticle morphology, definitely are important when it comes to the nanoparticle-cell interaction. Interestingly, the gold nanorods inhibited the immune response instead of activating it, probably by causing interference on the cell membrane, or because they are heavier," says Martin Clift, an associate professor of nanotoxicology and in vitro systems at Swansea University Medical School, and the project's co-leader.

Uncoated spherical particles easily aggregate and are therefore not appropriate for biomedical use. On the other hand, gold spheres coated with a protective polymer are stable and do not impair B lymphocyte function. "And we can easily place the vaccine or drug to be delivered to the B lymphocytes in this coating," says Carole Bourquin. "In addition, our study established a methodology for assessing the safety of nanoparticles on B lymphocytes, something that had never been done before. "This could be especially useful for future research, as the use of nanoparticles in medicine still requires clear guidelines."

B cells are at the heart of vaccine response, but also in other areas such as oncology and autoimmune diseases. The [gold nanoparticles](#) developed by the researchers could make it possible to deliver existing drugs directly to B [lymphocytes](#) to reduce the necessary dosage and

potential side effects. In fact, studies in patients are already being carried out for the treatment of brain tumours. Gold [nanoparticles](#) can be made small enough to cross the [blood-brain barrier](#), allowing specific anti-tumoural drugs to be delivered directly into the cancerous [cells](#).

More information: Sandra Ho?evan et al. Polymer-Coated Gold Nanospheres Do Not Impair the Innate Immune Function of Human B Lymphocytes in Vitro, *ACS Nano* (2019). [DOI: 10.1021/acsnano.9b01492](#)

Provided by University of Geneva

APA citation: Polymer-coated gold nanospheres do not impair the innate immune function of human B lymphocytes (2019, June 28) retrieved 12 December 2019 from <https://phys.org/news/2019-06-polymer-coated-gold-nanospheres-impair-innate.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.