


Rewilding: As farmland and villages are abandoned, forests, wolves and bears are returning to Europe

2 July 2019, by José M. Rey Benayas



The cheapest and most effective way to rewild a landscape is to eliminate or reduce as much as possible the causes that have contributed to degrade it. For the last 12,000 years in Europe, these causes have largely involved agriculture and grazing livestock which have destroyed [natural vegetation](#), especially forests, grasslands and wetlands, and replaced them with cropland and pastures.

An abandoned village in the Huesca Pyrenees has undergone 'passive rewilding'. Credit: Joseph Sohm / Shutterstock



Rewilding is often thought of as a fantastical vision of the future. One day we might share the landscape with wolves and bears, but in the present day, it seems unlikely. For many people in Europe though, that's exactly what they've been doing for at least the past decade.

Rewilding means bringing back the species and habitats which have disappeared from a region. Initially, conservationists imagined creating vast nature reserves which could be connected by "wildlife corridors" of [forest](#), so that carnivores such as lynx could be reintroduced and thrive in a landscape that's been heavily altered by humans.

[But that idea is changing](#). The current emphasis goes beyond just restoring habitats for reintroduced species and considers ecosystems as a whole, and how they can be helped to recover. Better yet, much of this involves little human effort and could have positive consequences for society and ecosystems.

From agricultural land to forest

The difference between the restored (yellow pyramid) and the degraded ecosystem (orange pyramid) indicates the effects of rewilding on an ecosystem. Rewilding can help shift social expectations (dashed lines) toward the ecological potential (orange arrows). Credit: Perino et al. 2019. Author provided

But as people have migrated from [rural areas](#) to cities, large areas of farmland—especially isolated patches in [remote areas](#)—have returned to nature. This has been happening in [Europe](#) since the [second half of the 20th century](#).

As crops and pastures are abandoned, shrubland and forests naturally regenerate. Despite 40% of the world's land being [cultivated or grazed permanently by domestic herbivores](#), there has been a big increase in the area occupied by forests in recent decades, explained mainly by these habitats naturally regenerating as humans have left.


Forests returned at a rate of [2.2m hectares per year](#) between 2010-2015 alone. Spain, for example, has tripled its forest area since 1900—increasing from 8% to 25% of its territory. The country [gained 96,000 hectares of forest](#) every year from 2000-2015.

All this new habitat has been recolonised by wildlife. Populations of large carnivores such as the brown bear, the wolf, the Eurasian lynx and the wolverine have all increased in [Europe](#). Populations of large and medium-sized herbivores, such as the red deer, the [wild boar](#), the roe deer and the Iberian ibex, have also increased. Other species, such as the Iberian lynx and the European bison, have been reintroduced on purpose.

possible and ensure they can serve multiple functions for people and wildlife. Ecological restoration should be flexible and pragmatic without losing awareness of what the natural ecosystem originally looked like, so as to regain the highest possible levels of biodiversity.

In Europe, around 30% of the land is cultivated for crops and another 15% is covered by pastures or heath and moorland. Around 10% of the territory is made up of towns, cities and roads. More wilderness could be encouraged in all these environments, which could allow agriculture and livestock production or residential areas and industry to coexist with higher levels of biodiversity.

Large parts of Europe have been passively rewilding for decades as people have moved out of rural areas. Reintroducing species more widely can only be done with the approval of the different people likely to be affected. Due to the low densities of people in the remote fringes of Europe's rural areas, they remain the best options for places to reintroduce wild herbivores and carnivores which would restore natural processes thanks to their key role in food webs.




Land cover of Europe in 1900. Credit: Department of Geoinformation Science and Remote Sensing, Wageningen University, Netherlands

Restore as much as possible

The same strategies cannot be generalised everywhere, nor should the aim always be to recover pristine ecosystems, which is often simply impossible in today's world.

The goal in most cases should be to improve the ecological condition of landscapes as much as




Land cover of Europe in 2010. Credit: Department of Geoinformation Science and Remote Sensing, Wageningen University, Netherlands

Provided by The Conversation



Natural regeneration of Mediterranean woodland in La Mancha, central Spain, due to the abandonment of fields and extensive farming.



Small pond created in an olive grove in Noves in Toledo, Spain. The pond has been colonised by multiple aquatic species.

This article is republished from [The Conversation](#) under a Creative Commons license. Read the

[original article](#).

APA citation: Rewilding: As farmland and villages are abandoned, forests, wolves and bears are returning to Europe (2019, July 2) retrieved 19 September 2019 from <https://phys.org/news/2019-07-rewilding-farmland-villages-abandoned-forests.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.