

# Oldest completely preserved lily discovered in Brazil

11 July 2019



Credit: Museum für Naturkunde Berlin


Already 115 million years ago, tropical flowering plants were apparently very diverse and showed all typical characteristics. This is the conclusion of an international team of researchers led by Clément Coiffard, Museum für Naturkunde Berlin. The team reported in the renowned journal *Nature Plants* on the oldest completely preserved lily, *Cratolirion bognerianum*, which was discovered at a site in present-day Brazil. With the help of 3D computer tomography at the Helmholtz-Zentrum Berlin, details on the back of the fossilised plant could also be analysed. The results raise new questions about the role of the tropics in the development of past and present ecosystems.

Botanist Dr. Clément Coiffard of the Museum für Naturkunde Berlin discovered the oldest, completely preserved lily in the research collection: *Cratolirion bognerianum* was found in calcareous sediments of a former freshwater lake in Crato in northeastern Brazil. With an age of about 115 million years, *Cratolirion* is one of the oldest known monocotyledonous [plants](#). These include orchids, sweet grasses, lilies and lilies of the valley.

*Cratolirion* is extraordinarily well preserved, with all roots, the flower and even the individual cells are

fossilised. With a length of almost 40 centimetres, the specimen is not only extremely large, but also shows almost all the typical characteristics of monocotyledonous plants, including parallel-veined, narrow leaves with a leaf sheath, a fibrous root system and triple flowers.

However, it was not trivial to examine the fossilised object, as it consisted of iron oxides associated with the stone. In order to see details here, Coiffard collaborated with the HZB physicist Dr. Nikolay Kardjilov, who is an expert in 3-D analysis with X-rays and neutrons. At the HZB he also built up a 3-D computed X-ray tomography and refined the [data analysis](#) in such a way that hardly any disturbing artefacts arise during the investigation of large, flat objects. This made it possible to analyse the details of the inflorescence hidden in the stone. A colour coding in the CT scan makes these details visible: the main axis is marked in turquoise, the supporting leaves in dark green, the pistils in light green and the remains of the actual petals can still be seen in orange.



A color code of the CT scan shows details of the plant: main axis (turquoise), leaves (dark green), pistils (light green), petals (orange). Credit: Museum für Naturkunde Berlin

Many early dicotyledonous flowering plants have already been described from the same sediments of the former freshwater lake in Crato. These include [water lilies](#), aron rods, drought-resistant magnolias and relatives of pepper and laurel. In contrast to other flowering plants of the same age from the USA, Portugal, China and Argentina, the flowering plants of the Crato-Flora are unusually diverse. This could be due to the fact that Lake Crato was in the lower latitudes, but all other fossils of early flowering plants come from the middle latitudes.

From this newly described plant *Cratolirion bognerianum* and the species of Crato flora mentioned above, it can be deduced that the tropical flowering plants were already very diverse. "It is probable that flowering plants originated in the tropics, but only very few fossils have been described to date," explains Coiffard. This study thus provides new insights into the role of the tropics in the development of early flowering plants and their rise to global supremacy.

**More information:** Clément Coiffard et al, Fossil evidence of core monocots in the Early Cretaceous, *Nature Plants* (2019). [DOI: 10.1038/s41477-019-0468-y](#)

Provided by Helmholtz Association of German Research Centres

APA citation: Oldest completely preserved lily discovered in Brazil (2019, July 11) retrieved 28 November 2020 from <https://phys.org/news/2019-07-oldest-lily-brazil.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*