

# Electronic waste is mined for rare earth elements

August 14 2019, by Dawn M Levy

---



Oak Ridge National Laboratory's Ramesh Bhave co-invented a process to recover high-purity rare earth elements from scrapped magnets of computer hard drives (shown here) and other post-consumer wastes. Credit: Carlos Jones/Oak Ridge National Laboratory, U.S. Dept. of Energy


Rare earth elements are the "secret sauce" of numerous advanced

materials for energy, transportation, defense and communications applications. Their largest use for clean energy is in permanent magnets, which retain magnetic properties even in the absence of an inducing field or current.

Now, U.S. Department of Energy researchers have invented a process to extract rare earth elements from the scrapped magnets of used hard drives and other sources. They have patented and scaled up the process in lab demonstrations and are working with ORNL's licensee Momentum Technologies of Dallas to scale the process further to produce commercial batches of rare earth oxides.

"We have developed an energy-efficient, cost-effective, environmentally friendly process to recover high-value critical materials," said co-inventor Ramesh Bhave of DOE's Oak Ridge National Laboratory, who leads the membrane technologies team in ORNL's Chemical Sciences Division. "It's an improvement over traditional processes, which require facilities with a large footprint, high capital and operating costs and a large amount of waste generated."

Permanent magnets help computer hard drives read and write data, drive motors that move hybrid and [electric cars](#), couple wind turbines with generators to make electricity, and assist smartphones to translate electrical signals into sound.



The patented process recovers more than 97% of the rare earth elements from scrapped magnets at purities exceeding 99.5% by weight. The recovered material can be made into new magnets for electronics and other applications. Credit: Oak Ridge National Laboratory, U.S. Dept. of Energy; created by Syed Islam and Jason Smith

Through the patented process, magnets are dissolved in nitric acid, and the solution is continuously fed through a module supporting polymer membranes. The membranes contain porous hollow fibers with an extractant that serves as a chemical "traffic cop" of sorts; it creates a selective barrier and lets only rare earth elements pass through. The rare-earth-rich solution collected on the other side is further processed to yield rare earth oxides at purities exceeding 99.5%.

That's remarkable considering that typically, 70% of a permanent magnet is iron, which is not a rare earth element. "We are essentially able to eliminate iron completely and recover only rare earths," Bhave said. Extracting desirable elements without co-extracting undesirable ones means less waste is created that will need downstream treatment and disposal.

Supporters of the work include DOE's Critical Materials Institute, or CMI, for separations research and DOE's Office of Technology Transitions, or OTT, for process scale-up. ORNL is a founding team member of CMI, a DOE Energy Innovation Hub led by DOE's Ames Laboratory and managed by the Advanced Manufacturing Office. Bhave's "mining" of an acidic solution with selective membranes joins other promising CMI technologies for recovering rare earths, including a simple process that crushes and treats magnets and an acid-free alternative.

Industry depends on critical materials, and the scientific community is developing processes to recycle them. However, no commercialized process recycles pure rare earth elements from electronic-waste magnets. That's a huge missed opportunity considering 2.2 billion personal computers, tablets and mobile phones are expected to ship worldwide in 2019, according to Gartner. "All of these devices have rare earth magnets in them," Bhave noted.



Feedstock magnets for the project came from diverse sources worldwide. ORNL's Tim McIntyre, who leads a CMI project developing robotic technology to extract magnets from hard drives, provided some. Wistron and Okon Metals, both of Texas, and Grishma Special Materials, of India, provided others. The largest magnets came from MRI machines, which use 110 pounds (50 kilograms) of neodymium-iron-boron magnets. Credit: Carlos Jones/Oak Ridge National Laboratory, U.S. Dept. of Energy

Bhave's project, which began in 2013, is a team effort. John Klaehn and Eric Peterson of DOE's Idaho National Laboratory collaborated in an early phase of the research focused on chemistry, and Ananth Iyer, a professor at Purdue University, later assessed the technical and economic feasibility of scale-up. At ORNL, former postdoctoral fellows Daejin Kim and Vishwanath Deshmane studied separations process development and scale-up, respectively. Bhave's current ORNL team,

comprising Dale Adcock, Pranathi Gangavarapu, Syed Islam, Larry Powell and Priyesh Wagh, focuses on scaling up the process and working with industry partners who will commercialize the technology.

To ensure rare earths could be recovered across a wide spectrum of feedstocks, researchers subjected magnets of varying composition—from sources including hard drives, magnetic resonance imaging machines, cell phones and hybrid cars—to the process.

Most rare earth elements are lanthanides, elements with atomic numbers between 57 and 71 in the periodic table. "ORNL's tremendous expertise in lanthanide chemistry gave us a huge jump start," Bhave said. "We started looking at lanthanide chemistries and ways by which lanthanides are selectively extracted."

Over two years, the researchers tailored membrane chemistry to optimize recovery of rare earths. Now, their process recovers more than 97% of the rare earth elements.

To date Bhave's recycling project has resulted in a patent and two publications ([here](#) and [here](#)) documenting recovery of three [rare earth elements](#)—neodymium, praseodymium and dysprosium—as a mixture of oxides.

The second phase of separations began in July 2018 with an effort to separate dysprosium from neodymium and praseodymium. A mixture of the three oxides sells for \$50 a kilogram. If dysprosium could be separated from the mixture, its oxide could be sold for five times as much.

The program's second phase will also explore if ORNL's underlying process for separating rare earths can be developed for separating other in-demand elements from lithium ion batteries. "The expected high

growth of electric vehicles is going to require a tremendous amount of lithium and cobalt," Bhave said.

Industrial efforts needed to deploy the ORNL process into the marketplace, funded over two years by DOE's OTT Technology Commercialization Fund, began in February 2019.

The goal is to recover hundreds of kilograms of rare [earth](#) oxides each month and validate, verify and certify that manufacturers could use the recycled materials to make magnets equivalent to those made with virgin materials.

Provided by Oak Ridge National Laboratory

Citation: Electronic waste is mined for rare earth elements (2019, August 14) retrieved 24 April 2024 from <https://phys.org/news/2019-08-electronic-rare-earth-elements.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.