


Scientists studied the reasons for plant extinction in different world regions

November 5 2019



Credit: CC0 Public Domain

Species have been going extinct on our planet since life began on it. However, the rate of extinction considerably increased with the rise of human populations. Humans affect the biosphere and cause significant alterations to it. These changes destroy habitats, cause biological invasions into ecosystems, and accelerate the extinction of many species. These processes may differ depending on the region and might affect the

plant diversity. In this study a team of researchers from Tyumen State University and their foreign colleagues investigated such differences in world biodiversity hotspots (predominantly regions with Mediterranean-type climate) and coldspots (predominantly Eurasian countries).

"We demonstrated that currently [plants](#) are going extinct 350 times faster than on average along the studied time span, i.e. 300 years. If we continue ignoring the importance of natural ecosystems and their integrity, this may lead to [disastrous consequences](#), and relationships between plants, insects, and other species may be broken," warned Anatoliy Khapugin, a Ph.D. degree Researcher of the Tyumen State University.

On the basis of this data, the research group studied the tendencies, causes, and dynamics of plant extinction over the past 300 years. Today's extinction rates of many plants appeared to be higher in [biodiversity hotspots](#) worldwide. However, according to the present study, the extinction rates have recently reduced in all regions. The most threatened species were perennial herb plants growing in [temperate regions](#) such as dandelion, crowfoot, and others. In unfavorable conditions, parts of their shoots die out, and remnants remain on the ground level. The main reasons for plant extinction in both groups of regions are agriculture and urbanization. In hotspot regions, one more threat that caused plant extinction was [biological invasions](#) of plants and animals that penetrated into new habitats and often caused harm to local flora and fauna. In biodiversity coldspots, changes in the hydrological regime of habitats (such as new dams that negatively affect the functioning of water bodies) may also cause plant extinctions.

"To counteract the biodiversity loss, new protected areas should be created, and special protection regimes should be maintained in these territories to predominantly or completely prevent human activity there. In many world regions, including Russia, both national and regional

protected area networks prove to be inefficient. They have to be expanded to protect more habitats of threatened plants and animals," stated Anatoliy Khapugin.

More information: Johannes J. Le Roux et al, Recent Anthropogenic Plant Extinctions Differ in Biodiversity Hotspots and Coldspots, *Current Biology* (2019). [DOI: 10.1016/j.cub.2019.07.063](https://doi.org/10.1016/j.cub.2019.07.063)

Provided by University of Tyumen

Citation: Scientists studied the reasons for plant extinction in different world regions (2019, November 5) retrieved 22 September 2024 from <https://phys.org/news/2019-11-scientists-extinction-world-regions.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--