


What does DNA's repair shop look like? New research identifies the tools

5 December 2019, by James Devitt



A group of human nuclei with fluorescently labeled genome (green) and induced DNA damage (red). Credit: Jonah A. Eaton and Alexandra Zidovska, Department of Physics, New York University

very robust, engineered through intricate structural and dynamical signatures where breaks occur," explains Alexandra Zidovska, an assistant professor in New York University's Department of Physics and the senior author of the study, which appears in *Biophysical Journal*. "This knowledge can help us understand human genome in both healthy and disease-stricken states—and potentially offer a pathway for enhancing [cancer diagnosis](#) and therapy."


The human genome consists, remarkably, of two meters of DNA molecules packed inside a [cell nucleus](#), which is ten micrometers in diameter. The proper packing of the genome is critical for its healthy biological function such as gene expression, genome duplication, and DNA repair. However, both the genome's structure and function are highly sensitive to DNA damage, which can range from chemical change to the DNA molecule to full break of DNA's well-known [double helix](#).

Yet, such harm is not unusual. In fact, the human genome experiences about thousand DNA damage events every day, which can occur naturally or due to the external factors such as chemicals or UV radiation (e.g. sunlight).

A team of scientists has identified how damaged DNA molecules are repaired inside the human genome, a discovery that offers new insights into how the body works to ensure its health and how it responds to diseases that stem from impaired DNA.

A team of scientists has identified how damaged DNA molecules are repaired inside the human genome, a discovery that offers new insights into how the body works to ensure its health and how it responds to diseases that stem from impaired DNA.

"Our findings show that a DNA repair process is



Human nucleus with fluorescently labeled genome (green) and sites of induced double stranded DNA breaks (red). Credit: Jonah A. Eaton and Alexandra Zidovska, Department of Physics, New York University

But, if left unrepaired, DNA damage can have devastating consequences for the cell, note Zidovska and study co-author Jonah Eaton, NYU doctoral student. For example, an unrepaired DNA double strand break can lead to [cell death](#) or cancer; therefore, DNA repair mechanisms are crucial for cellular health and survival.

In the *Biophysical Journal* study, the scientists examined the formation, behavior, and motion of DNA double strand breaks in the human genome. To do so, they chemically induced DNA breaks inside of live human cells, tracing these breaks using fluorescent markers. With the help of microscopy and machine learning technologies, they followed the motion of the DNA breaks and genome in both space and time.

In their analysis of more than 20,000 DNA breaks in over 600 cells, the researchers found that genome tends to change the nature of its packing around a DNA break.

"This new packing state for DNA undergoing repair,

is unlike any packing state found for a healthy DNA," says Zidovska. "Around a DNA break we find that DNA becomes denser than its surrounding DNA, forming a [small island](#) of highly condensed DNA immersed in the sea of uncondensed DNA."

In addition, they observed that DNA breaks also move in a unique way—different from that of undamaged parts of genome. The islands of condensed DNA around a DNA break move faster than do healthy DNA, yet the mobility of such islands strongly depends on their size.

"The [human genome](#) is constantly exposed to events that damage the DNA molecule," notes Zidovska. "The cell has robust repair processes that work to eliminate such damage before it can give cause to cancer or other diseases. Now we have a better understanding of how a DNA break behaves differently than the undamaged DNA, which allows us not only to gain insight into these repair processes but also inform our efforts in cancer diagnosis and therapy."

More information: Jonah A. Eaton et al. Structural and Dynamical Signatures of Local DNA Damage in Live Cells, *Biophysical Journal* (2019). DOI: [10.1016/j.bpj.2019.10.042](https://doi.org/10.1016/j.bpj.2019.10.042)

Provided by New York University

APA citation: What does DNA's repair shop look like? New research identifies the tools (2019, December 5) retrieved 25 November 2020 from <https://phys.org/news/2019-12-dna-tools.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.