


NASA finds wind shear affecting tropical cyclone Uesi

February 13 2020



On Feb. 13 at 0315 UTC (Feb. 12 at 10:15 p.m. EST), the MODIS instrument that flies aboard NASA's Aqua satellite provided a visible image of Tropical Cyclone Uesi being adversely affected by vertical wind shear. Credit: NASA/NRL

NASA satellite imagery revealed that vertical wind shear appears to be affecting Tropical Cyclone Uesi in the Southern Pacific Ocean.

On Feb. 13 at 0315 UTC (Feb. 12 at 10:15 p.m. EST), the Moderate Resolution Imaging Spectroradiometer or MODIS instrument that flies aboard NASA's Aqua satellite provided a visible image of Tropical Cyclone Uesi being adversely affected by [vertical wind shear](#). The image showed that the bulk of clouds were being pushed to the southeast of the center of circulation.

In general, wind shear is a measure of how the speed and direction of winds change with altitude. Tropical cyclones are like rotating cylinders of winds. Each level needs to be stacked on top each other vertically in order for the storm to maintain strength or intensify. Wind shear occurs when winds at different levels of the atmosphere push against the rotating cylinder of winds, weakening the rotation by pushing it apart at different levels. Northwestern [wind shear](#) was affecting Uesi and pushing the bulk of clouds to the southeast of the center.

At 0300 UTC on Feb. 13 (10 p.m. EST on Feb. 12), the Joint Typhoon Warning Center (JTWC) issued the final bulletin on Tropical cyclone Uesi. At that time, Uesi was located near latitude 27.7 degrees south and longitude 161.1 degrees east, about 332 nautical miles southwest of Noumea, New Caledonia. Uesi had maximum sustained winds near 55 knots (63 mph/102 kph). The storm was moving to the south-southwest.

On Feb. 13 at 11:59 pm AEDT (Australia Eastern Time) or 7:59 a.m. EST, the Australian Bureau of Meteorology (ABM) noted "Ex-tropical cyclone Uesi is moving rapidly southwards and will produce destructive wind gusts at Lord Howe Island over the next few hours." ABM said that the system is expected to maintain an intensity equivalent to a category 2 tropical cyclone as it passes the island. For updates from ABM, visit: <http://www.bom.gov.au/>.

NASA's Aqua satellite is one in a fleet of NASA satellites that provide data for hurricane research.

Provided by NASA's Goddard Space Flight Center

Citation: NASA finds wind shear affecting tropical cyclone Uesi (2020, February 13) retrieved 19 September 2024 from <https://phys.org/news/2020-02-nasa-affecting-tropical-cyclone-uesi.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.